



Betts



Quality
Since 1901

***heavy duty
vehicular lamps
and lighting systems***



CLEARANCE & SIDE MARKER LAMPS	11-19
IDENTIFICATION / BAR LAMPS.....	20-23
LICENSE LAMPS	24-26
STOP, TAIL, TURN LAMPS.....	26-34
BACK UP LAMPS	34-36
CABINET, METER & DOME LAMPS	36-39
SEALED BEAM FLOOD, SPOT & WORK LAMPS.....	39-42
JUNCTION BOXES	43-44

NOSE BOXES	45-46
GAUGE HOLDERS	46
HARDWARE PACKAGES	46
CABLE GRAB RINGS	46
JUNCTION BOX DISCS & HARDWARE	46
CIRCUIT BRIDGE	46

BEACONS & STROBES	47-50
-------------------------	-------

SCHOOL BUS LAMPS	51-53
------------------------	-------

MODULES 40 SERIES.....	54-60
MODULES COMPACT 45 SERIES	61-66
OEM MODULES COMBINATION 40/45 SERIES.....	67
MOUNTING BRACKETS.....	68-69

CIRCUIT SAVERS & FLASHERS	70
LIGHTING SYSTEM TESTER	71
PLUG CHECKER	71

CERTIFICATE HOLDERS	72
ANTI-THEFT RINGS	72
BACK UP ALARMS	72
PLUG SCRUBBER	72
ABS STICKERS	72
WIRE PULLING LUBRICANT	73
INDICATOR LIGHT	73
SWITCHES & SWITCH COMPONENTS	73

LED DISPLAY	74
LED ASSEMBLIES	74
POLYCARBONATE LENSES.....	75
LED RETROFIT LENS ASSEMBLIES	76-79
SEALED BEAM BULBS	79

REFLECTORS	79
O-RINGS	79
GASKETS	79
SOCKETS	80
PIGTAILS	80
GROMMETS.....	81
LAMP COMPONENTS.....	81

CABLE FITTINGS	82
CHOKE SEALS	82
NOSE BOX & SWITCH COVERS	82
PLUGS & SOCKETS	82
TUBING	83-84
WIRE, CABLE, PLUG & SEAL PLUGS, HEAT SHRINK.....	85-86

CUSTOM DESIGN KITS.....	87
TECHNICAL INFORMATION	88
WARRANTY INFORMATION	INSIDE BACK COVER

Betts quality lamps and lighting systems feature these exclusive advantages:

- ★ All red LED's can be single or double contact based on wiring
- ★ Existing blub lighting can be easily converted to LED using current wiring and housings.
- ★ Sealed yet bulb replaceable!
- ★ A full line of lamps and junction boxes that have ample room for splices in a dry environment.
- ★ Controlled O. D. on stranded wire and cable for positive sealing.
- ★ Lowest voltage drop in the industry!
- ★ Choke seal entrances available in all heavy wall lamps and junction boxes.
- ★ All lamps and junction box lenses and covers are sealed with "O" rings.
- ★ All 4" and 7" lamps are equipped with shock mount bulb sockets for superior vibration dampening and shock resistance.
- ★ The only lighting system where add ons or repairs can be made without jeopardizing the integrity of the system.
- ★ Only bulbs require occasional replacement.


Snap Seal lenses are a Betts exclusive

To Remove: Place one hand over face of lens at pry point to avoid possibility of injury due to lens breakage. Insert screwdriver fully under lens flange. Pry off carefully at several points if necessary.

To Replace: Tilt lens slightly and hand press into lamp housing for a water-tight O-ring seal. "Snap Seal" O-rings are factory lubricated. When additional lubrication is needed, use only a petroleum jelly such as Vaseline.

CAUTION. Use only Betts "Snap Seal" O-rings to assure designed tolerance between lens, O-ring and lamp housing.

Keep groove retaining O-ring clean to assure proper sealing.



LED Lamp Identification

LED Part numbers are noted in blue throughout the catalog

Betts BriteNight multi-diode LED's are designed to meet all F.M.V.S.S. 108 requirements while operating within the 8 to 14 volt range. Betts Light Ranger Multi-voltage single diode LED's are also designed to meet F.M.V.S.S. 108 requirements and with their unique circuit design operate from 8 to 44 volts and remain compliant. This eliminates the need to inventory a 12 or a 24-volt LED. They also give the user the performance of an LED yet deters theft with the classic incandescent bulb look.

Betts LED series lamps and lens assemblies should be properly installed in Betts Snap-Seal lamp housings and kept free from physical abuse. When using LED lens assemblies or Multi-voltage single diode LED assemblies, lamp housings should be inspected to insure they will maintain a dry environment. If any signs of moisture or corrosion appear in the housing, the following steps should be followed and components replaced as needed. The proper cable entrance fittings and choke seals (see page 82 for Betts recommended fittings and choke seals) should be utilized. Fittings should be tightened and checked for a positive seal and proper installation. Wire and cables should be checked for signs of discoloration or corrosion. External splices should be checked to insure heat shrink was applied. Internal connections in aluminum bodied lamps must be butt connected with heat shrink. If any of these conditions exist and are not corrected by replacing the faulty component prior to retrofitting to an LED, the warranty will be void.

On original installation Betts recommends that either Betts Snap-Seal wiring or Betts Plug & Seal harness system is used. When using Plug & Seal, all external plugs must be sealed with heat shrink. Any modification to a custom designed kit by either the OEM or the equipment owner that was not part of the original design or designed for an add on option will cause the warranty to be void.

All warranty will be void if any of the above conditions are not met.

All Betts products, where applicable, conform to F.M.V.S.S. number 108



THE ULTIMATE LIGHTING SYSTEM

*all the advantages of the Solid Wiring system plus ...
the easy installation and
service of plug-together units*

The **Betts** Plug & Seal Lighting System offers lamps and junction boxes prewired with a flexible jacketed cable which includes a ground wire for common grounding. The wires inside the cable are protected by a PVC insulation and further protected by a super tough PVC outer jacket that resists salt, abrasion, and physical abuse.

Betts Plug & Seal Lighting System features replaceable molded plug pigtails that provide a sealed connection and offer field serviceability not afforded or offered by any other system on the market.

Should the **Betts** Plug & Seal Lighting System suffer damage from tire blowouts or accidents, the damaged pigtail can be completely replaced without jeopardizing the integrity of the system. Other systems require cutting into the harness to remove the damaged section and splicing on a new section. Poor splices can and will result in lighting problems.


It all adds up to an exclusive, high integrity lighting system. A lighting system that is easy to maintain at a cost you can live with. Bulb replaceable lighting systems cost less per mile to maintain than throw away lighting.

NOTE: To replace the bulb, grasp the base of the J-slotted Shock-Stopper socket with one hand, push the bulb down and turn counter clockwise to remove.

NOTE: Heat shrink tubing should be applied to the plugs for total sealing.




"Ready-to-Install" kits can be engineered by Betts to customer specifications. Information on pages 4, 5, 6, & 7 will also allow for the purchase of individual components to be put together as a kit in your facility.



- 1 SHOCK-STOPPER**
Protects the bulb from road shock and vibration.
Enables bulb to reach its rated life.
- 2 BULB REPLACEABLE**
Uses a standard J-slot bulb.
- 3 NO BAD GROUNDING**
System uses common grounding.
- 4 NO CORROSION**
Super-tight seals & plugs keep moisture out.
- 5 FAST LOW COST SERVICE**
Snap-Seal lens make service easy.
- 6 LOCK & SEAL PLUGS**
Molded to tough PVC jacketed cable.
- 7 EASILY CHANGED TO LED**

Betts harness units are designed to speed installation and service while maintaining a sealed lighting system with dry environment connections. Male and female 2 and 4 conductor plugs use a sealed lock together system that really works. All connections must be sealed with heat shrink to insure total sealing and be considered for warranty claims.





THE ULTIMATE LIGHTING SYSTEM

PART NO.

910100

A

ROADSIDE HARNESS

10 foot lead of 5 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 - 4 conductor plug wired as turn/tail, #3 - 2 conductor plug wired as backup, and #4 - 4 conductor plug wired as stop/tail. #1, 2 & 3 have 6" length of cable. #4 - 14".



910101

B

CURBSIDE HARNESS


10 foot lead of 5 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 - 4 conductor plug wired as turn/tail, #3 - 2 conductor plug wired as backup, and #4 - 4 conductor plug wired as stop/tail. #1, 2 & 3 have 6" length of cable. #4 - 14".

910102

B

CURBSIDE/ROADSIDE HARNESS

8 foot lead of 4 conductor cable molded into a junction that has 4 drops consisting of; #1 - 2 conductor plug wired for clearance, #2, #3 #4 - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 4 have 6" length of cable.



Wiring functions as follows:


Red - Stop
Brown - Tail/Marker
Yellow/Green - Turn
White - Ground

910106

B

CURBSIDE/ROADSIDE HARNESS

8 foot lead of 4 conductor cable molded into a junction that has 3 drops consisting of; #1 - 2 conductor plug wired for clearance, #2 and #3, - 4 conductor plugs wired as stop/turn/tail. (Lamps will be wired for stop or turn functions.) #1 - 3 have 6" length of cable.



Wiring functions as follows:

Red - Stop
Brown - Tail/Marker
Yellow/Green - Turn
White - Ground

910110

C

MAIN HARNESS: 50'

50 foot lead of 7 conductor cable with a junction molded in the center with (2) - 4 conductor drops consisting of #1 drop wired for roadside turn/clearance and #2 wired for curbside turn and clearance. #1 & 2 have 4 foot length of cable.



910114

Same as 910110 but with ABS cable.

910111

D

TWO CONDUCTOR "Y" HARNESS

96 inch lead of 2 conductor cable molded into a junction with (2) - 6" 2 conductor drops wired for clearance/side marker.



910115

E

ID BAR HARNESS

216" lead of 2 conductor cable with 2 "Y" harnesses that provide three two conductor drops to plug in individual lights to make an ID bar light.



910116

C

MAIN HARNESS: 60'

60 foot lead of 7 conductor cable with a junction molded 33' from the front with (2) - 4 conductor drops consisting of #1 drop wired for roadside turn/clearance and #2 wired for curbside turn and clearance and 27' of cable to the rear. #1 & 2 have 1.5 foot length of cable.



910117

Same as 910116 but with ABS 7 conductor cable.

Stop, Tail, Turn & License Lamps



THE ULTIMATE LIGHTING SYSTEM

All lamps are equipped with PVC jacketed cable and a molded 4 or 2 conductor male plug. Wiring conforms to FMVSS standards. Cable entry is located on the sides of the lamps for easy plug in to the lamp system. Lamps are shock mounted incandescent bulb lamps using either a 1156 or 1157 bulb.



12" Plug Shown



INCANDESCENT 12 VOLT LAMPS (24 VOLT AVAILABLE ON REQUEST)

PART NO.	40 SERIES - 4 IN. MALE PLUG
400122	Curb Side Turn Only Amber Shallow Lens
400123	Road Side Turn Only Amber Shallow Lens
400110	Curb Side Turn/Tail Red Shallow Lens
400111	Road Side Turn/Tail Red Shallow Lens
400112	Curb Side Stop/Tail Red Shallow Lens
400113	Road Side Stop/Tail Red Shallow Lens

400141	Back Up Clear Shallow Lens (2 conductor plug)
--------	---

PART NO.	40 SERIES - 12 IN. MALE PLUG
400120	Curb Side Turn Only Amber Shallow Lens
400121	Road Side Turn Only Amber Shallow Lens
400100	Curb Side Turn/Tail Red Shallow Lens
400101	Road Side Turn/Tail Red Shallow Lens
400102	Curb Side Stop/Tail Red Shallow Lens
400103	Road Side Stop/Tail Red Shallow Lens

400140	Back Up Clear Shallow Lens (2 conductor plug)
--------	---



PART NO.	40 SERIES - 4 IN. MALE PLUG
400134	Curb Side Turn Only Amber Deep Lens
400135	Road Side Turn Only Amber Deep Lens
400114	Curb Side Turn/Tail Red Deep Lens
400115	Road Side Turn/Tail Red Deep Lens
400116	Curb Side Stop/Tail Red Deep Lens
400117	Road Side Stop/Tail Red Deep Lens

PART NO.	40 SERIES - 12 IN. MALE PLUG
400124	Curb Side Turn Only Amber Deep Lens
400125	Road Side Turn Only Amber Deep Lens
400104	Curb Side Turn/Tail Red Deep Lens
400105	Road Side Turn/Tail Red Deep Lens
400106	Curb Side Stop/Tail Red Deep Lens
400107	Road Side Stop/Tail Red Deep Lens



PART NO.	40 SERIES - 4 IN. MALE PLUG
400118	Road Side Turn/Tail Red Deep Lens with License
400119	Road Side Stop/Tail Red Deep Lens with License

PART NO.	40 SERIES - 12 IN. MALE PLUG
400108	Road Side Turn/Tail Red Deep Lens with License
400109	Road Side Stop/Tail Red Deep Lens with License



INCANDESCENT 12 VOLT LAMPS (24 VOLT AVAILABLE ON REQUEST)

PART NO. 45 SERIES - 4 IN. MALE PLUG


- 450182** Curb Side Turn Only Amber Shallow Lens
- 450183** Road Side Turn Only Amber Shallow Lens
- 450082** Curb Side Turn/Tail Red Shallow Lens
- 450083** Road Side Turn/Tail Red Shallow Lens
- 450084** Curb Side Stop/Tail Red Shallow Lens
- 450085** Road Side Stop/Tail Red Shallow Lens

- 450140** Back Up Clear Shallow Lens (2 conductor plug)

PART NO. 45 SERIES - 12 IN. MALE PLUG

- 450172** Curb Side Turn Only Amber Shallow Lens
- 450173** Road Side Turn Only Amber Shallow Lens
- 450072** Curb Side Turn/Tail Red Shallow Lens
- 450073** Road Side Turn/Tail Red Shallow Lens
- 450074** Curb Side Stop/Tail Red Shallow Lens
- 450075** Road Side Stop/Tail Red Shallow Lens

- 450141** Back Up Clear Shallow Lens (2 conductor plug)



PART NO. 45 SERIES - 4 IN. MALE PLUG

- 450186** Curb Side Turn Only Amber Deep Lens
- 450187** Road Side Turn Only Amber Deep Lens
- 450086** Curb Side Turn/Tail Red Deep Lens
- 450087** Road Side Turn/Tail Red Deep Lens
- 450088** Curb Side Stop/Tail Red Deep Lens
- 450089** Road Side Stop/Tail Red Deep Lens

PART NO. 45 SERIES - 12 IN. MALE PLUG

- 450176** Curb Side Turn Only Amber Deep Lens
- 450177** Road Side Turn Only Amber Deep Lens
- 450076** Curb Side Turn/Tail Red Deep Lens
- 450077** Road Side Turn/Tail Red Deep Lens
- 450078** Curb Side Stop/Tail Red Deep Lens
- 450079** Road Side Stop/Tail Red Deep Lens

PART NO. 45 SERIES - 4 IN. MALE PLUG

- 450080** Road Side Turn/Tail Red Deep Lens with License
- 450081** Road Side Stop/Tail Red Deep Lens with License

PART NO. 45 SERIES - 12 IN. MALE PLUG

- 450090** Road Side Turn/Tail Red Deep Lens with License
- 450091** Road Side Stop/Tail Red Deep Lens with License





THE ULTIMATE LIGHTING SYSTEM

All lamps are equipped with PVC jacketed cable and a molded 2 or 4 conductor male plug. Cable entry is located in the rear of lamp bodies for easy plug-in to the lamp system. See page 23 for I.D. lamps with 18 feet of cable that can be connected in the junction box.

INCANDESCENT 12 VOLT LAMPS (24 VOLT AVAILABLE ON REQUEST)




PART NO. 73 SERIES - 4 IN. MALE PLUG
730009 Curb Side Turn/Marker Amber Lens
730010 Road Side Turn/Marker Amber Lens

PART NO. 73 SERIES - 12 IN. MALE PLUG
730016 Curb Side Turn/Marker Amber Lens
730017 Road Side Turn/Marker Amber Lens



PART NO. 56 SERIES SPECIAL PURPOSE - 4 IN. MALE PLUG
560069 Curb Side Special Purpose DC Deep Amber Lens
560070 Road Side Special Purpose DC Deep Amber Lens

PART NO. 56 SERIES SPECIAL PURPOSE - 12 IN. MALE PLUG
560079 Curb Side Special Purpose DC Deep Amber Lens
560080 Road Side Special Purpose DC Deep Amber Lens



PART NO. CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG
211014 Clearance or Marker Red Reflective Lens
211015 Clearance or Marker Amber Reflective Lens

PART NO. CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG
211016 Clearance or Marker Red Reflective Lens
211017 Clearance or Marker Amber Reflective Lens



PART NO. CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG
560043 Clearance or Marker Red Shallow Lens
560044 Clearance or Marker Amber Shallow Lens

PART NO. CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG
560047 Clearance or Marker Red Shallow Lens
560048 Clearance or Marker Amber Shallow Lens



PART NO. CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG
560045 Clearance or Marker Red Deep Lens
560046 Clearance or Marker Amber Deep Lens

PART NO. CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG
560049 Clearance or Marker Red Deep Lens
560050 Clearance or Marker Amber Deep Lens



THE ULTIMATE LIGHTING SYSTEM

INCANDESCENT 12 VOLT LAMPS (24 VOLT AVAILABLE ON REQUEST)

PART NO. CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG

- 650019** Clearance or Marker Red Shallow Lens
650020 Clearance or Marker Amber Shallow Lens

PART NO. CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG

- 650021** Clearance or Marker Red Shallow Lens
650022 Clearance or Marker Amber Shallow Lens



Side, Turn Lamp

PART NO. AMBER ARROW TURN LAMPS 4 IN. MALE PLUG

- 770024** Amber Arrow turn only

PART NO. AMBER ARROW TURN LAMPS - 12 IN. MALE PLUG

- 770026** Amber Arrow turn only



Junction Box

PART NO. CENTER AND REAR JUNCTION BOXES

- 351046** Rear 4 x 8 Junction box with (1) 920420 wire choke seal and (3) 920413 cable seals preinstalled. Predrilled and tapped entrances for (2) 920217 and (1) 920218 cable entrance fittings (provided).

- 351047** Center 4 x 8 Junction box with (4) 920413 preinstalled choke seals. Drilled and tapped for (2) 920218 cable entrance fittings (provided).



Stop, Tail, Turn Lamps



THE ULTIMATE LIGHTING SYSTEM

All lamps are equipped with PVC jacketed cable and a molded 2 or 4 conductor male plug. Wiring conforms to FMVSS standards. Cable entry is located on the sides of the lamps for easy plug in to the lamp system. Lamps in this section are either multi-diode 12 volt or single diode Multi-voltage lamps. Multi-diode lamps available in 24 volt upon request.

NOTE: S/T/T with License is currently only available in the Multi-voltage single diode LED.



MULTI-DIODE 12 VOLT LEDs



PART NO.	40 SERIES - 4 IN. MALE PLUG		
402110	Curb Side Turn/Tail Red Shallow Lens	402122	Curb Side Turn Only Amber Shallow Lens
402111	Road Side Turn/Tail Red Shallow Lens	402123	Road Side Turn Only Amber Shallow Lens
402112	Curb Side Stop/Tail Red Shallow Lens	402134	Curb Side Turn Only Amber Deep Lens
402113	Road Side Stop/Tail Red Shallow Lens	402135	Road Side Turn Only Amber Deep Lens
402114	Curb Side Turn/Tail Red Deep Lens	402140	Back up Clear Shallow Lens Multi-voltage multi-diode
402115	Road Side Turn/Tail Red Deep Lens		
402116	Curb Side Stop/Tail Red Deep Lens		
402117	Road Side Stop/Tail Red Deep Lens		



PART NO.	40 SERIES - 12 IN. MALE PLUG		
402100	Curb Side Turn/Tail Red Shallow Lens	402120	Curb Side Turn Only Amber Shallow Lens
402101	Road Side Turn/Tail Red Shallow Lens	402121	Road Side Turn Only Amber Shallow Lens
402102	Curb Side Stop/Tail Red Shallow Lens	402124	Curb Side Turn Only Amber Deep Lens
402103	Road Side Stop/Tail Red Shallow Lens	402125	Road Side Turn Only Amber Deep Lens
402104	Curb Side Turn/Tail Red Deep Lens	402141	Back up Clear Shallow Lens Multi-voltage multi-diode
402105	Road Side Turn/Tail Red Deep Lens		
402106	Curb Side Stop/Tail Red Deep Lens		
402107	Road Side Stop/Tail Red Deep Lens		



PART NO.	45 SERIES - 4 IN. MALE PLUG		
452082	Curb Side Turn/Tail Red Shallow Lens	452182	Curb Side Turn Only Amber Shallow Lens
452083	Road Side Turn/Tail Red Shallow Lens	452183	Road Side Turn Only Amber Shallow Lens
452084	Curb Side Stop/Tail Red Shallow Lens	452186	Curb Side Turn Only Amber Deep Lens
452085	Road Side Stop/Tail Red Shallow Lens	452187	Road Side Turn Only Amber Deep Lens
452086	Curb Side Turn/Tail Red Deep Lens	452140	Back up Clear Shallow Lens Multi-voltage multi-diode
452087	Road Side Turn/Tail Red Deep Lens		
452088	Curb Side Stop/Tail Red Deep Lens		
452089	Road Side Stop/Tail Red Deep Lens		



PART NO.	45 SERIES - 12 IN. MALE PLUG		
452072	Curb Side Turn/Tail Red Shallow Lens	452172	Curb Side Turn Only Amber Shallow Lens
452073	Road Side Turn/Tail Red Shallow Lens	452173	Road Side Turn Only Amber Shallow Lens
452074	Curb Side Stop/Tail Red Shallow Lens	452176	Curb Side Turn Only Amber Deep Lens
452075	Road Side Stop/Tail Red Shallow Lens	452177	Road Side Turn Only Amber Deep Lens
452076	Curb Side Turn/Tail Red Deep Lens	452141	Back up Clear Shallow Lens Multi-voltage multi-diode
452077	Road Side Turn/Tail Red Deep Lens		
452078	Curb Side Stop/Tail Red Deep Lens		
452079	Road Side Stop/Tail Red Deep Lens		



MULTI-DIODE 12 VOLT LAMPS



PART NO.	56 SERIES SPECIAL PURPOSE - 4 IN. MALE PLUG DOUBLE CONTACT
560263	Curb Side Special Purpose Red Shallow Lens
560264	Road Side Special Purpose Red Shallow Lens
560265	Curb Side Special Purpose Amber Shallow Lens
560266	Road Side Special Purpose Amber Shallow Lens
560267	Curb Side Special Purpose Red Deep Lens
560268	Road Side Special Purpose Red Deep Lens
560269	Curb Side Special Purpose Amber Deep Lens
560270	Road Side Special Purpose Amber Deep Lens

PART NO. 56 SERIES SPECIAL PURPOSE - 12 IN. MALE PLUG DOUBLE CONTACT

560273	Curb Side Special Purpose Red Shallow Lens
560274	Road Side Special Purpose Red Shallow Lens
560275	Curb Side Special Purpose Amber Shallow Lens
560276	Road Side Special Purpose Amber Shallow Lens
560277	Curb Side Special Purpose Red Deep Lens
560278	Road Side Special Purpose Red Deep Lens
560279	Curb Side Special Purpose Amber Deep Lens
560280	Road Side Special Purpose Amber Deep Lens



PART NO.	200 SERIES CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG SINGLE CONTACT
211214	Clearance or Marker Red Reflective Lens
211215	Clearance or Marker Amber Reflective Lens

PART NO. 200 SERIES CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG SINGLE CONTACT

211216	Clearance or Marker Red Reflective Lens
211217	Clearance or Marker Amber Reflective Lens



PART NO.	56 SERIES CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG SINGLE CONTACT
560243	Clearance or Marker Red Shallow Lens
560244	Clearance or Marker Amber Shallow Lens
560245	Clearance or Marker Red Deep Lens
560246	Clearance or Marker Amber Deep Lens



PART NO.	56 SERIES CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG SINGLE CONTACT
560247	Clearance or Marker Red Shallow Lens
560248	Clearance or Marker Amber Shallow Lens
560249	Clearance or Marker Red Deep Lens
560250	Clearance or Marker Amber Deep Lens

Clearance & Marker Lamps



THE ULTIMATE LIGHTING SYSTEM

MULTI-DIODE 12 VOLT LAMPS

PART NO.	65 SERIES CLEARANCE OR MARKER LAMPS - 4 IN. MALE PLUG SINGLE CONTACT
650219	Clearance or Marker Red Shallow Lens
650220	Clearance or Marker Amber Shallow Lens



PART NO.	65 SERIES CLEARANCE OR MARKER LAMPS - 12 IN. MALE PLUG SINGLE CONTACT
650221	Clearance or Marker Red Shallow Lens
650222	Clearance or Marker Amber Shallow Lens

Stop, Tail, Turn Lamps

SINGLE DIODE MULTI-VOLTAGE DOUBLE CONTACT LAMPS

OPERATIONAL VOLTAGE RANGE FROM 8 TO 48 VOLTS

PART NO.	40 SERIES - 4 IN. MALE PLUG
403110	Curb Side Turn/Tail Red Shallow Lens
403111	Road Side Turn/Tail Red Shallow Lens
403112	Curb Side Stop/Tail Red Shallow Lens
403113	Road Side Stop/Tail Red Shallow Lens
405140	Back Up Clear Shallow Lens Multi-voltage (2 conductor Plug)



PART NO.	40 SERIES - 12 IN. MALE PLUG
403100	Curb Side Turn/Tail Red Shallow Lens
403101	Road Side Turn/Tail Red Shallow Lens
403102	Curb Side Stop/Tail Red Shallow Lens
403103	Road Side Stop/Tail Red Shallow Lens
405141	Back Up Clear Shallow Lens Multi-voltage (2 conductor Plug)

PART NO.	45 SERIES - 4 IN. MALE PLUG
453082	Curb Side Turn/Tail Red Shallow Lens
453083	Road Side Turn/Tail Red Shallow Lens
453084	Curb Side Stop/Tail Red Shallow Lens
453085	Road Side Stop/Tail Red Shallow Lens
455140	Back Up Clear Shallow Lens Multi-voltage (2 conductor Plug)



PART NO.	45 SERIES - 12 IN. MALE PLUG
453072	Curb Side Turn/Tail Red Shallow Lens
453073	Road Side Turn/Tail Red Shallow Lens
453074	Curb Side Stop/Tail Red Shallow Lens
453075	Road Side Stop/Tail Red Shallow Lens
455141	Back Up Clear Shallow Lens Multi-voltage (2 conductor Plug)

PART NO.	40 SERIES - 4 IN. MALE PLUG
405114	Curb Side Turn/Tail Red Deep Lens
405115	Road Side Turn/Tail Red Deep Lens
405116	Curb Side Stop/Tail Red Deep Lens
405117	Road Side Stop/Tail Red Deep Lens
405214	Curb Side Turn/Tail/License Deep Lens
405215	Road Side Turn/Tail/License Deep Lens
405216	Curb Side Stop/Tail/License Deep Lens
405217	Road Side Stop/Tail/License Deep Lens

PART NO.	40 SERIES - 12 IN. MALE PLUG
405104	Curb Side Turn/Tail Red Deep Lens
405105	Road Side Turn/Tail Red Deep Lens
405106	Curb Side Stop/Tail Red Deep Lens
405107	Road Side Stop/Tail Red Deep Lens
405204	Curb Side Turn/Tail/License Red Deep Lens
405205	Road Side Turn/Tail/License Red Deep Lens
405206	Curb Side Stop/Tail/License Red Deep Lens
405207	Road Side Stop/Tail/License Red Deep Lens



PART NO. 45 SERIES - 4 IN. MALE PLUG

453086	Curb Side Turn/Tail Red Deep Lens
453087	Road Side Turn/Tail Red Deep Lens
453088	Curb Side Stop/Tail Red Deep Lens
453089	Road Side Stop/Tail Red Deep Lens
453286	Curb Side Turn/Tail/License Red Deep Lens
453287	Road Side Turn/Tail/License Red Deep Lens
453288	Curb Side Stop/Tail/License Red Deep Lens
453289	Road Side Stop/Tail/License Red Deep Lens



PART NO. 45 SERIES - 12 IN. MALE PLUG

453076	Curb Side Turn/Tail Red Shallow Lens
453077	Road Side Turn/Tail Red Shallow Lens
453078	Curb Side Stop/Tail Red Shallow Lens
453079	Road Side Stop/Tail Red Shallow Lens
453276	Curb Side Turn/Tail/License Red Deep Lens
453277	Road Side Turn/Tail/License Red Deep Lens
453278	Curb Side Stop/Tail/License Red Deep Lens
453279	Road Side Stop/Tail/License Red Deep Lens

Clearance & Side Turn Lamps

PART NO. 73 SERIES - 4 IN. MALE PLUG DOUBLE CONTACT

733009	Curb Side Turn/Marker Amber Lens
733010	Road Side Turn/Marker Amber Lens

PART NO. 73 SERIES - 12 IN. MALE PLUG DOUBLE CONTACT

733016	Curb Side Turn/Marker Amber Lens
733017	Road Side Turn/Marker Amber Lens



PART NO. AMBER ARROW TURN LAMPS 4 IN. MALE PLUG SINGLE CONTACT


773024	Amber Arrow Turn Only
--------	-----------------------

PART NO. AMBER ARROW TURN LAMPS 12 IN. MALE PLUG SINGLE CONTACT

773026	Amber Arrow Turn Only
--------	-----------------------



Clearance & Side Marker Lamps



Features a 920053 red or 920054 amber deep lens. Lamps use a 67 bulb. Surface mount lamp with a .313 diameter wire entrance hole required.



PART NO. COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT

240004	Red, incandescent bulb, aluminum body
240005	Amber, incandescent bulb, aluminum body

Clearance & Side Marker Lamps




PART NO.

240011

240012

Features a 920053 red or 920054 amber deep lens. Lamp uses a 67 bulb. Lamps have a 1/4" N.P.T. rear entry. Surface mount lamp with a 1.062 diameter wire entrance hole required.



COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT

Red, incandescent bulb, aluminum body
Amber, incandescent bulb, aluminum body



PART NO.

500052

500053


Available in either incandescent or LED. Lamps have a 1/4" N.P.T. rear entry, surface mount.

ALL B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920109 red or 920110 amber shallow lens and use a 67 bulb in a single contact socket.

B50 replacement LED lamps use a 510007 red or a 510008 amber shallow single contact bulb base socket lens assembly.

LED lamps feature a 510001 red or 510002 amber shallow lens assembly with two eyelets and require internal grounding.



COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS

Red, B50 replacement, incandescent bulb, valox body with ground strap
Amber, B50 replacement, incandescent bulb, valox body with ground strap

PART NO.

500252

500253

500452

500453

CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

Red, B50 replacement, LED, valox body with ground strap
Amber, B50 replacement, LED, valox body with ground strap
Red, LED, valox body
Amber, LED, valox body




Special purpose double contact lamp shallow lens LED surface mount lamp. Lamps have a 1/4" N.P.T. rear entry.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

B50 series aluminum direct valox replacement LED lamps feature a double contact bulb based 510027 red or 510028 amber shallow lens.

LED lamps feature a 510021 red or 510022 amber shallow lens assembly with three eyelets and require internal grounding.



PART NO.

500263

500264


500463

500464

SPECIAL PURPOSE DOUBLE CONTACT SHALLOW LENS

Red, B50 replacement, LED, valox body with ground strap
Amber, B50 replacement, LED, valox body with ground strap
Red, LED, valox body
Amber, LED, valox body

Clearance & Side Marker Lamps



Available in either incandescent or LED, surface mount. Lamps have a 1/4" N.P.T. rear entry, surface mount lamp.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or 920117 amber deep lens and use a 67 bulb in a single contact socket.

B50 replacement LED lamps use a 510017 red or 510018 amber deep single contact bulb based socket lens assembly.

LED lamps feature a 510011 red or 510012 amber deep lens assembly with two eyelets and require internal grounding.



PART NO.

500054

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT DEEP LENS

Red, B50 replacement, incandescent bulb, valox body with ground strap

500055

Amber, B50 replacement, incandescent bulb, valox body with ground strap

PART NO.

500254

CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS

Red, B50 replacement, LED, valox body with ground strap

500255


Amber, B50 replacement, LED, valox body with ground strap

500454

Red LED, valox body

500455

Amber, LED, valox body




Special purpose double contact lamp deep lens incandescent or LED surface mount lamp. Lamps have a 1/4" N.P.T. rear entry.

All B50 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or 920117 amber deep lens and a 1157 bulb in a double contact socket.

B50 series aluminum direct valox replacement LED lamps feature a double contact bulb based 510037 red or 510038 amber deep lens.

LED lamps features a 510031 red or 510032 amber deep lens assembly with three eyelets and require internal grounding.



PART NO.

500058

SPECIAL PURPOSE INCANDESCENT DOUBLE CONTACT DEEP LENS

Red, B50 replacement, incandescent bulb, valox body with ground strap

500059

Amber, B50 replacement, incandescent bulb, valox body with ground strap

PART NO.

500258

SPECIAL PURPOSE LED DOUBLE CONTACT DEEP LENS

Red, B50 replacement, LED, valox body with ground strap

500259


Amber, B50 replacement, LED, valox body with ground strap

500458

Red LED, valox body

500459

Amber, LED, valox body



All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920109 red or a 920110 amber shallow lens and use a 920105 single contact socket and a 67 bulb.

B56 replacement LED lamps use a 510007 red or a 510008 amber shallow single contact bulb base socket lens assembly.

LED lamps feature a 510001 red or 510002 amber shallow lens with two eyelets and require internal grounding.



CONTINUED ON NEXT PAGE

PART NO. COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS

- 560019** Red, incandescent bulb, valox body
- 560020** Amber, incandescent bulb, valox body
- 560028** Red, incandescent bulb, valox body with (1) 920413 choke seal installed
- 560029** Amber, incandescent bulb, valox body with (1) 920413 choke seal installed
- 560056** Red, B56 replacement, incandescent bulb, valox body with ground strap
- 560057** Amber, B56 replacement, incandescent bulb, valox body with ground strap

PART NO. CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

- 560219** Red, LED, valox body
- 560220** Amber LED, valox body
- 560228** Red, LED, valox body with (1) 920413 choke seal installed
- 560229** Amber, LED, valox body with (1) 920413 choke seal installed
- 560262** Red, B56 replacement, LED, valox body with ground strap
- 560255** Amber, B56 replacement, LED, valox body with ground strap




All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp. All other lamps require internal grounding.

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920104 single contact socket and a 67 bulb.

B56 replacement LED lamps use a 510017 red or a 510018 amber deep single contact bulb base socket lens assembly.

Multi Diode LED lamps feature a 510011 red or 510012 amber deep lens with two eyelets.



PART NO. COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT DEEP LENS

- 560005** Red, incandescent bulb, valox body
- 560007** Amber, incandescent bulb, valox body
- 560030** Red, incandescent bulb, valox body with (1) 920413 choke seal installed
- 560031** Amber, incandescent bulb, valox body with (1) 920413 choke seal installed
- 560058** Red, B56 replacement, incandescent bulb, valox body with ground strap
- 560059** Amber, B56 replacement, incandescent bulb, valox body with ground strap


PART NO. CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS

- 560205** Red, LED, valox body
- 560207** Amber, LED, valox body
- 560230** Red, LED, valox body with (1) 920413 choke seal installed
- 560231** Amber, LED, valox body with (1) 920413 choke seal installed
- 560258** Red, B56 replacement, LED, valox body with ground strap
- 560259** Amber, B56 replacement, LED, valox body with ground strap




Multi-diode LED lamps feature a 510021 red or 510022 amber shallow lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510054 red or 510053 shallow lens assembly with two eyelets and require internal grounding.



PART NO. SPECIAL PURPOSE DOUBLE CONTACT SHALLOW LENS

- 560253** Red, LED, valox body with (1) 920413 choke seal installed
- 560254** Amber, LED, valox body with (1) 920413 choke seal installed
- 560260** Red, LED, valox body with ground strap
- 560261** Amber, LED, valox body with ground strap
- 560351** Red, Multi-voltage LED, valox body
- 560352** Amber, Multi-voltage LED, valox body
- 560353** Red, Multi-voltage LED, valox body with (1) 920413 choke seal installed
- 560354** Amber, Multi-voltage LED, valox body with (1) 920413 choke seal installed



All B56 series valox direct aluminum replacement lamps have a ground strap that utilizes the base as a ground like an aluminum base lamp.

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920103 double contact socket and a 1157 bulb and require internal grounding.

LED lamps feature a 510031 red or 510032 amber deep lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510052 red or 510051 deep lens assembly with three eyelets and require internal grounding.

Body must be drilled or drilled and tapped for wire entrance unless otherwise specified, lamp bodies also available in black valox.



PART NO.

560023

Red, incandescent bulb, valox body

560024

Amber, incandescent bulb, valox body

560032

Red, incandescent bulb, valox body with (1) 920413 choke seal installed

560033

Amber, incandescent bulb, valox body with (1) 920413 choke seal installed

560065

Red, B56 replacement, incandescent bulb, valox body with ground strap

560066

Amber, B56 replacement, incandescent bulb, valox body with ground strap

560223

Red, LED, valox body

560224

Amber, LED, valox body

560232

Red, LED, valox body with (1) 920413 choke seal installed

560233

Amber, LED, valox body with (1) 920413 choke seal installed

560256

Red, LED, valox body with ground strap

560257

Amber, LED, valox body with ground strap

560323

Red, Multi-voltage LED, valox body

560324


Amber, Multi-voltage LED, valox body

560332

Red, Multi-voltage LED, valox body with (1) 920413 choke seal installed

560333

Amber, Multi-voltage LED, valox body with (1) 920413 choke seal installed



All 57 series lamps are molded from a durable valox material and must now be grounded internally by the use of an additional wire or by the use of a ground screw drilled thru the base of the lamp from the inside making ground contact using the socket or LED lens assembly ground wire and the metal mounting surface.

Incandescent lamps feature a 920109 red or a 920110 amber shallow lens and use a 920367 single contact socket and a 67 bulb and require internal grounding.

LED lamps feature a 510001 red or 510002 amber shallow lens with two eyelets and require internal grounding. Body must be drilled or drilled and tapped for wire entrance.



PART NO.

570021

Red, incandescent bulb, valox body

570022

Amber, incandescent bulb, valox body

PART NO.

570221

Red LED, valox body

570222

Amber LED, valox body

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT SHALLOW LENS

CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

Clearance & Side Marker Lamps



PART NO.

570023
570024

Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920104 single contact socket and a 67 bulb and require internal grounding.

LED lamps feature a 510011 red or 510012 amber deep lens with two eyelets and require internal grounding.

**COMBINATION CLEARANCE & SIDE MARKER
SINGLE CONTACT DEEP LENS**


Red, incandescent bulb, valox body
Amber, incandescent bulb, valox body

PART NO.

570223
570224

CLEARANCE OR SIDE MARKER SINGLE CONTACT DEEP LENS

Red, LED, valox body
Amber, LED, valox body



PART NO.

570239
570240
570339
570340


A special purpose double contact lamp with all the same characteristics of the 57 series lamp line.

LED lamps feature a 510021 red or 510022 amber shallow lens with three eyelets and require internal grounding.

Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510053 red or 510054 shallow lens assembly with three eyelets and require internal grounding.

SPECIAL PURPOSE DOUBLE CONTACT SHALLOW LENS

Red, LED, valox body
Amber, LED, valox body
Red, Multi-voltage LED, valox body
Amber, Multi-voltage LED, valox body



PART NO.

570034
570035
570234
570235
570334
570335

A special purpose double contact lamp with all the same characteristics of the 57 series lamp line.


Incandescent lamps feature a 920116 red or a 920117 amber deep lens and use a 920103 double contact socket and a 1157 bulb and require internal grounding.

LED lamps feature a 510031 red or 510032 amber deep lens with three eyelets and require internal grounding.


Multi-voltage (12 to 24 volts) LED single diode lamps feature a 510051 red or 510052 deep lens assembly with three eyelets and require internal grounding.

SPECIAL PURPOSE DOUBLE CONTACT DEEP LENS

Red, incandescent bulb, valox body
Amber incandescent bulb, valox body
Red, LED, valox body
Amber, LED, valox body
Red, Multi-voltage LED, valox body
Amber, Multi-voltage LED, valox body



Clearance & Side Marker Lamps



PART NO.

600011
600012

600211
600212

Incandescent version features a 920109 red or a 920110 amber shallow lens. Uses a single contact bulb socket 920125 and a 67 single contact bulb.


The shallow lens LED version uses a single contact bulb base 510007 red or 510008 amber LED lens assembly.

Provided with a 1/4" N.P.T. threaded entry. Recess mount.

CLEARANCE OR SIDE MARKER SINGLE CONTACT SHALLOW LENS

Red shallow, aluminum body
Amber shallow, aluminum body

Red shallow, LED aluminum body
Amber shallow, LED aluminum body



PART NO.

600013
600014

600213
600214

600215
600216

A special purpose lamp featuring a 920116 red or 920117 amber deep lens. Uses a double contact bulb socket 920126 and a 1157 bulb.

The LED version is available in either a shallow or a deep lens.

The deep lens lamp uses a double contact bulb base 510037 red or a 510038 amber LED lens assembly. The shallow lens lamp uses a double contact bulb base 510027 red or a 510028 amber LED lens assembly.


Provided with a 1/4" N.P.T. threaded entry. Recess mount.

SPECIAL PURPOSE DOUBLE CONTACT DEEP LENS

Red deep lens, aluminum body
Amber deep lens, aluminum body

Red deep, LED lens, aluminum body
Amber deep, LED lens, aluminum body

Red shallow, LED lens, aluminum body
Amber shallow, LED lens, aluminum body



PART NO.

650001
650002

650201
650202
651201
651202

Incandescent bulb version features a 920228 red or a 920229 amber shallow lens and is available in a gray or black valox body. The 168 single contact bulb is mounted in a shock mount assembly for longer life. Provided with (1) or (2) 920413 watertight and vapor proof choke seals.

The LED version is available in the same body colors and entrance configurations. It uses a 660001 red or a 660002 amber LED lens assembly. Recess mount.

See page 68 & 69 for mounting bracket.

CLEARANCE OR SIDE MARKER SINGLE CONTACT TWO SIDE ENTRANCES

Red, gray valox body
Amber, gray valox body

Red LED, gray valox body
Amber LED, gray valox body
Red LED, black valox body
Amber LED, black valox body



PART NO.

CLEARANCE OR SIDE MARKER SINGLE CONTACT ONE REAR ENTRANCE

650007
650008

650207
650208
651207
651208

Red, gray valox body
Amber, gray valox body
Red, LED, gray valox body
Amber LED, gray valox body
Red LED, black valox body
Amber LED, black valox body

Clearance & Side Marker Lamps



PART NO.


100011
100012

A conventional grommet entry lamp with a shallow lens. Uses a 67 single contact bulb and 910109 red or 910110 amber lens. Surface mount.

COMBINATION CLEARANCE & SIDE MARKER SINGLE CONTACT

Red, aluminum body
Amber, aluminum body

NOTE: LED available on request




A low profile incandescent bulb version that features a 920049 red or 920050 amber lens. Lamp uses a 67 single contact bulb.

LED version features a 201201 red or 201202 amber LED lens assembly.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.



PART NO.


200011
200012

CLEARANCE OR SIDE MARKER ONE 1/8" N.P.T. END ENTRANCE

Red, aluminum body
Amber, aluminum body

200211
200212

Red LED, aluminum body
Amber LED, aluminum body



210001
210002

Red, aluminum body
Amber, aluminum body

210201
210202

Red LED, aluminum body
Amber LED, aluminum body

TWO 1/8" N.P.T. END ENTRANCES

ONE 1/4" N.P.T. REAR ENTRANCE

Red, aluminum body
Amber, aluminum body

211201
211202

Red LED, aluminum body
Amber LED, aluminum body


TWO 1/4" N.P.T. REAR ENTRANCES

212001
212002

Red, aluminum body
Amber, aluminum body

212201
212202

Red LED, aluminum body
Amber LED, aluminum body



Incandescent lamp version features a 920049 red or 920050 amber lens. The lamp is supplied with a 920011 body grommet and uses a 67 single contact bulb.

LED version uses a 201201 red or 201202 amber LED lens assembly.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.

PART NO.


213001
213002

CLEARANCE OR SIDE MARKER


Red, aluminum body
Amber, aluminum body

213201
213202

Red LED, aluminum body
Amber LED, aluminum body



Clearance & Side Marker Lamps



Incandescent bulb version features a REFLEX 920058 red or a 920059 amber lens. The lamp features a bulb replaceable shock mount socket and brass inserts with machine screws for positive connections and uses a 168 single contact bulb.

LED version uses a 221201 red or 221202 amber LED REFLEX lens assembly.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.

PART NO.

CLEARANCE OR SIDE MARKER ONE 1/4" N.P.T. END ENTRANCE

200017

Red, valox body

200018

Amber, valox body

200217

Red LED, valox body

200218

Amber LED, valox body

TWO 1/4" N.P.T. END ENTRANCE

210005

Red, valox body

210006

Amber, valox body

210205

Red LED, valox body

210206

Amber LED, valox body

ONE 1/4" N.P.T. REAR ENTRANCE

211005

Red, valox body

211006

Amber, valox body

211205

Red LED, valox body

211206

Amber LED, valox body

TWO 1/4" N.P.T. REAR ENTRANCE

212003

Red, valox body

212004




Amber, valox body

212203

Red LED, valox body

212204

Amber LED, valox body



Incandescent lamp version features a REFLEX 920058 red or 920059 amber lens. The lamp features a bulb replaceable shock mount socket and brass inserts with machine screws for positive connections and uses a 168 single contact bulb.

LED version uses a 221201 red or 221202 amber LED REFLEX lens assembly.

Both lamps are supplied with a rear entry choke seal 920088, ground wire, and grounding screw.

Surface mount, can be mounted horizontally or vertically.

All lamps are single contact.

PART NO.

CLEARANCE OR SIDE MARKER

215001

Red, valox body

215002

Amber, valox body

215201


Red LED, valox body

215202

Amber LED, valox body



Identification / Bar Lamps



Lamps are available in an incandescent or LED style lamp and can be configured into either a shallow or deep lens option. Lights are mounted in a 920380 powder coated steel frame.

Incandescent version uses (3) 920109 red or 920110 amber lenses with (3) 920367 shock mount sockets and a 67 bulb. Deep lens version uses (3) 920116 red or 920117 amber lenses with (3) 920104 shock mount sockets and a 67 bulb.

LED shallow lens version uses (3) 510001 red or 510002 amber LED lens assemblies. Deep lens version uses (3) 510011 red or 510012 amber LED lens assemblies.

All versions are furnished with a 920413 cable choke seal entrance on the side of the lamp.

Deep lens incandescent bulb versions can be manufactured as a special purpose double contact. All LED versions can be also manufactured as a special purpose double contact.

All lamps are single contact.

PART NO. IDENTIFICATION/BAR LAMPS

560038 Red shallow lens, valox body
560039 Amber shallow lens, valox body
560238 Red shallow LED, valox body
560239 Amber shallow LED, valox body

560040 Red deep lens, valox body
560041 Amber deep lens, valox body
560240 Red deep LED, valox body
560241 Amber deep LED, valox body

NOTE: ALL ID LAMPS ARE ON 6" CENTERS

Lamps are molded out of a durable valox type material and are available in both incandescent bulb and LED versions.


Shallow lens incandescent version uses (3) 920109 red or 920110 amber lenses with (3) 920367 shock mount sockets and a 67 bulb. Deep lens version uses (3) 920116 red or 920117 amber lenses with (3) 920104 shock mount sockets and a 67 bulb.

LED shallow lens valox body version uses (3) 510001 red or 510002 amber LED lens assemblies. Deep lens version uses (3) 510011 red or 510012 amber LED lens assemblies.

All versions come standard with a 1/4" N.P.T. wire or cable entrance.

Deep lens incandescent bulb versions can be manufactured as a special purpose double contact. All LED versions can be also manufactured as a special purpose double contact.

All lamps are single contact.



PART NO. IDENTIFICATION/BAR LAMPS

570028 Red shallow lens, valox body
570029 Amber shallow lens, valox body
570228 Red shallow LED, valox body
570229 Amber shallow LED, valox body

570030 Red deep lens, valox body
570031 Amber deep lens, valox body
570230 Red deep LED, valox body
570231 Amber deep LED, valox body

NOTE: ALL ID LAMPS ARE ON 6" CENTERS


An ID Bar lamp available in a powder coated steel frame 920069 or an aluminum frame 920068. Lamp bodies are made from tough molded valox material. Bodies are available in either black or gray valox.

Incandescent bulb version features (3) 920228 red or 920229 amber lenses. Bar lamp features bulb replaceable shock mount sockets and brass inserts with machine screws for positive connections and uses (3) 168 bulbs. Surface mount.

LED version features (3) 660001 red or 660002 amber LED lens assemblies. Lamp uses brass inserts with machine screws for a positive connection.

All versions are furnished with a 920413 cable choke seal entrance on the side of the lamp.

All lamps are single contact.



IDENTIFICATION/BAR LAMPS

PART NO. ALUMINUM FRAME

650009 Red, gray valox
650010 Amber, gray valox

650209 Red LED, gray valox
650210 Amber LED, gray valox

651209 Red LED, black valox
651210 Amber LED, black valox


PART NO. STEEL FRAME

650011 Red, gray valox
650012 Amber, gray valox

650211 Red LED, gray valox
650212 Amber LED, gray valox

651211 Red LED, black valox
651212 Amber LED, black valox

NOTE: ALL ID LAMPS ARE ON 6" CENTERS



A low profile ID Bar lamp available in single contact incandescent bulb or LED version. The incandescent lamp features (3) 920049 red or 920050 amber lenses and uses (3) 67 bulbs.

The LED version features (3) 210201 red or 210202 amber LED lens assembly.

Both versions are furnished with either a 1/8" N.P.T. entrance on the ends or a 1/4" N.P.T. entrance in the rear. Horizontal surface mount.

All lamps are single contact.

PART NO. ONE END ENTRANCE

- 200013** Red, aluminum body
- 200014** Amber, aluminum body
- 200015** Red, aluminum body with 18' of 2 cond. cable
- 200016** Amber, aluminum body with 18' of 2 cond. cable

- 200213** Red LED, aluminum body
- 200214** Amber LED, aluminum body
- 200215** Red LED, aluminum body, with 18' of 2 cond. cable
- 200216** Amber LED, aluminum body with 18' of 2 cond. cable

PART NO. TWO END ENTRANCES

- 210003** Red, aluminum body
- 210004** Amber, aluminum body
- 210203** Red LED, aluminum body
- 210204** Amber LED, aluminum body


PART NO. ONE REAR ENTRANCE

- 211003** Red, aluminum body
- 211004** Amber, aluminum body
- 211203** Red LED, aluminum body
- 211204** Amber LED, aluminum body

PART NO. TWO REAR ENTRANCES

- 214001** Red, aluminum body
- 214002** Amber, aluminum body
- 214201** Red LED, aluminum body
- 214202** Amber LED, aluminum body

NOTE: ALL ID LAMPS ARE ON 6" CENTERS



Features (3) REFLEX 920058 red or 920059 amber lenses and a tough valox body. Incandescent bulb version has a bulb replaceable shock mount socket and brass inserts with machine screws for a positive connection and uses (3) 168 bulbs. Surface mount.

All lamps are single contact.

LED lamp features (3) 221201 red or 221202 amber LED lens assemblies.

The lamp is furnished with a 1/4" N.P.T. entrance as standard.

All lamps are single contact.

PART NO. ONE END ENTRANCE

- 200019** Red, valox body
- 200020** Amber, valox body
- 200021** Red, valox body with 18' of 2 cond. cable
- 200022** Amber, valox body with 18' of 2 cond. cable

- 200219** Red LED, valox body
- 200220** Amber LED, valox body
- 200221** Red LED, valox body, with 18' of 2 cond. cable
- 200222** Amber LED, valox body with 18' of 2 cond. cable

PART NO. TWO END ENTRANCES

- 210007** Red, valox body
- 210008** Amber, valox body
- 210207** Red LED, valox body
- 210208** Amber LED, valox body

PART NO. ONE REAR ENTRANCE

- 211007** Red, valox body
- 211008** Amber, valox body
- 211009** Red, valox body with 18' of 2 cond. cable
- 211010** Amber, valox body with 18' of 2 cond. cable
- 211207** Red LED, valox body
- 211208** Amber LED, valox body
- 211209** Red LED, valox body with 18' of 2 cond. cable
- 211210** Amber LED, valox body with 18' of 2 cond. cable


PART NO. TWO REAR ENTRANCES

- 214003** Red, valox body
- 214004** Amber, valox body
- 214203** Red LED, valox body
- 214204** Amber LED, valox body

NOTE: ALL ID LAMPS ARE ON 6" CENTERS



Threaded entry model license lamp. Uses a 67 bulb and a 920055 silver lens. Furnished with a 1/4" N.P.T. entrance. Surface mount.




PART NO. LICENSE SINGLE CONTACT

- 240001** Silver, aluminum body
- 240002** Silver, aluminum body with a 920088 choke seal installed
- 240009** Silver, aluminum body with a 920045 choke seal installed and 4' of 2 cond. cable (uses a 68 NIDC bulb)



Features a 920055 silver lens. Uses a 67 bulb. Surface mount.




PART NO. LICENSE SINGLE CONTACT

- 240003** Silver, aluminum body
- 240008** Silver, aluminum body with 4' of BSXL wire installed



A grommet entry lamp 240002 comes attached to a gray powder coated 12 ga. steel license plate bracket 920062. Lamp features a silver 920055 lens and uses a 67 bulb.



PART NO. LICENSE & FRAME SINGLE CONTACT


- 240010** Silver, aluminum body



A tough valox body lamp available in an incandescent bulb or LED version. The incandescent bulb version features a 920141 red lens, a 920459 shock mount socket and an 1157 bulb. The LED version uses a 710025 Multi-voltage single diode lens assembly.



Body must be drilled and tapped for wire entry unless otherwise stated.

Recess mount see pages 68 & 69 for mounting bracket.



PART NO. STOP/TURN TAIL OR CLEARANCE AND LICENSE DOUBLE CONTACT

- 400041** Red, valox body
- 400061** Red, valox body with (3) 920413 choke seals installed
- 400068** Red, valox body
- 400088** Red, valox body with ground strap
- 403041** Red, Multi-voltage single diode LED, valox body
- 403061** Red, Multi-voltage single diode LED, valox body with (3) 920413 cable choke seals installed
- 403068** Red, Multi-voltage single diode LED, valox body with ground strap and 1/4" N.P.T. hole in rear center
- 403088** Red, Multi-voltage single diode LED, valox body with chassis ground



Stud Mount
450059 shown

PART NO.

450030

Red, valox body

450043

Red, valox body with 18" pigtails installed

450046

Red, valox body with (1) 920413 choke seal and 8' lead of 3 cond. cable installed

450056

Red, valox body with (3) 920413 choke seals installed

450059

Red, valox body with (2) 1/4-20 stud mounts

453030

Red, Multi-voltage single diode LED, valox body

453043

Red, Multi-voltage single diode LED, valox body with 18" pigtails installed

453046


Red, Multi-voltage single diode LED, valox body with (1) 920413 seal and 8' lead of 3 cond. cable installed

453056

Red, Multi-voltage single diode LED, valox body with (3) 920413 choke seals installed

A compact size lamp available in both incandescent or LED. Lamp bodies are molded in a durable gray valox material. The incandescent bulb version features a 920141 red lens and uses a 920459 shock mount socket and 1157 bulb. The LED version is only available in valox and uses a 710025 Multi-voltage single LED lens assembly.

Recess mount, see pages 68 & 69 for mounting brackets.



PART NO.

470022


Red, valox body

473022

Red, Multi-voltage single diode LED, valox body

A tough valox body lamp available in an incandescent bulb or LED version. The incandescent bulb version features a 920141 red lens, a 920459 shock mount socket and an 1157 bulb. The LED version uses a 710025 Multi-voltage single diode lens assembly. Surface mount.

Body must be drilled and tapped for wire entry.




PART NO.

500061

Red, valox body

A self grounding valox body lamp that features a 920113 lens. Uses a 920127 socket and 67 bulb. Provided with a 1/4" N.P.T. rear entry. Surface mount.



PART NO.

560025

Red, valox body

560034

Red, valox body with (1) 920413 choke seal installed

560067

Red, valox body with ground strap

An incandescent lamp molded in durable gray valox. Features a 920113 red lens and a uses a 920104 shock mount socket and 67 bulb.

Body must be drilled and tapped for wire entry unless otherwise stated.

Recess mount see pages 68 & 69 for mounting bracket.




License Lamps



A durable valox material body that features a 920113 red lens and uses a 920104 shock mount and 67 bulb. Surface mount.

Body must be drilled for wire entry.

PART NO. LICENSE SINGLE CONTACT
570036 Red, valox body



Stop, Tail, Turn Lamps



A valox body lamp available in both incandescent and LED versions. The incandescent version features either a 920134 red or a 920135 amber shallow lenses. Lamps are available in either a single contact or double contact functions.

Single contact incandescent lamps use a 920460 socket and 1156 bulb and the double contact uses a 920459 socket and 1157 bulb.

Multi-diode LED lamps use a 710001 red or 710002 amber LED shallow lens assembly that can be wired as either a single or double contact lamp.

Multi-voltage LED lamps use a 920680 red single diode LED assembly with a 920134 red lens or a 920691 white single diode LED assembly with a 920135 amber lens.


All B40 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

All B70 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like an aluminum base lamp and with a drilled and tapped 1/4" N.P.T. hole in the center.

Special Purpose Sequential Turn LED Arrow uses a 710038 amber shallow lens with arrow overlay that frames the arrow sequencing amber LEDs. Lamp can be used as an additional rear turn or used as a mid turn when combined with the required marker light. Lamps are configured in a multi-diode arrow array and operate in a Multi-voltage application.

See pages 68 & 69 for mounting brackets.

For optimal sequencing turn signal flash rate should not exceed 85 flashes per minute.



PART NO.

407001
407002
407097

SPECIAL PURPOSE SEQUENTIAL LED ARROW SINGLE CONTACT

Sequential turn, amber LED, gray valox body with 920413 cable choke seal installed
Sequential turn, amber LED, gray valox body with 920420 wire choke seal installed
Sequential turn, amber LED, gray valox body

PART NO.

400037
400056
400065
400083
402037
402056
402065
402083
405037

TURN, SINGLE CONTACT SHALLOW LENS

Amber, incandescent bulb
Amber, incandescent bulb, with (3) 920413 cable choke seals installed
Amber, B70 replacement, incandescent bulb with ground strap
Amber, B40 replacement, incandescent bulb with ground strap
Amber, LED
Amber, LED, with (3) 920413 cable choke seals installed
Amber, LED B70 replacement, with ground strap
Amber, LED B40 replacement, with ground strap
Amber, Multi-voltage single diode LED

PART NO.

400036
400055
400064

STOP OR TURN, SINGLE CONTACT SHALLOW LENS


Red, incandescent bulb
Red, incandescent bulb, with (3) 920413 cable choke seals installed
Red, B70 replacement, incandescent bulb with ground strap

CONTINUED ON NEXT PAGE

400074	Red, incandescent bulb with 18" pigtails installed
400082	Red, B40 replacement, incandescent bulb with ground strap
402039	Red, LED
402059	Red, LED, with (3) 920413 cable choke seals installed
402066	Red, LED B70 replacement with ground strap
402074	Red, LED with 18" pigtails installed
402086	Red, LED B40 replacement with ground strap
403074	Red, Multi-voltage single diode LED with 18" pigtails installed

PART NO. STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT SHALLOW LENS

400039	Red, incandescent bulb
400053	Red, incandescent bulb with 18" pigtails installed
400059	Red, incandescent bulb, with (3) 920413 cable choke seals installed
400066	Red, B70 replacement, incandescent bulb with ground strap
400086	Red, B40 replacement, incandescent bulb with ground strap
400093	Red, B40 replacement, incandescent bulb with ground strap and 18" pigtails installed
402039	Red, LED
402053	Red, LED with 18" pigtails installed
402059	Red, LED with (3) 920413 cable choke seals installed
402066	Red, LED B70 replacement with ground strap
402086	Red, LED B40 replacement with ground strap
402093	Red, LED B40 replacement with ground strap and 18" pigtails installed
403039	Red, Multi-voltage single diode LED
403053	Red, Multi-voltage single diode LED with 18" pigtails installed
403059	Red, Multi-voltage single diode LED, with (3) 920413 cable choke seals installed
403066	Red, B70 replacement, Multi-voltage single diode LED with ground strap
403086	Red, B40 replacement, Multi-voltage single diode LED with ground strap



A valox body lamp available in both incandescent and LED versions. The incandescent version features either a 920144 red or 920145 amber deep lenses

Lamps are available in either single or double contact functions. Single contact incandescent lamps use a 920460 socket and 1156 bulb and the double contact uses a 920459 socket and 1157 bulb.

Multi-diode LED lamps use a 710011 red or 710012 amber LED deep lens assembly that can be wired as either a single or double contact lamp.

Multi-voltage LED lamps use a 920685 red single diode LED assembly with a 920134 red lens for red or a 920691 white single diode LED assembly with a 920135 amber lens for amber.

All B40 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

All B70 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like an aluminum base lamp and with a drilled and tapped 1/4" N.P.T. hole in the center.

See pages 68 & 69 for mounting brackets.



PART NO. TURN, SINGLE CONTACT DEEP LENS

400058	Amber, incandescent bulb with (3) 920413 choke seals installed
400070	Amber, incandescent bulb
400071	Amber, B70 replacement, incandescent bulb with ground strap
400085	Amber, B40 replacement, incandescent bulb with ground strap
402058	Amber, LED, with (3) 920413 cable choke seals installed
402070	Amber, LED
402071	Amber, LED B70 replacement with ground strap
402085	Amber, LED B40 replacement with ground strap
403114	Amber, Multi-voltage single diode LED

PART NO. STOP OR TURN, SINGLE CONTACT DEEP LENS

400038	Red, incandescent bulb
400057	Red, incandescent bulb with (3) 920413 choke seals installed

Stop, Tail, Turn Lamps

400067	Red, B70 replacement, incandescent bulb with ground strap
400087	Red, B40 replacement, incandescent bulb with ground strap
402040	Red, LED
402060	Red, LED, with (3) 920413 cable choke seals installed
402067	Red, LED B70 replacement with ground strap
402087	Red, LED B40 replacement with ground strap

PART NO. STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT DEEP LENS


400040	Red, incandescent bulb
400060	Red, incandescent bulb, with (3) 920413 cable choke seals installed
400067	Red, B70 replacement, incandescent bulb with ground strap
400087	Red, B40 replacement, incandescent bulb with ground strap
402040	Red, LED
402060	Red, LED with (3) 920413 cable choke seals installed
402067	Red, LED, B70 replacement, with ground strap
402087	Red, LED B40 replacement, with ground strap
	Red, Multi-voltage single diode LED



A valox body lamp available in both incandescent and LED versions. The incandescent version features either a 920134 red or 920135 amber shallow lenses. Lamps are available in either single contact or double contact functions.

Single contact incandescent lamps use a 920460 socket and 1156 bulb and the double contact uses a 920459 socket and 1157 bulb.

Multi-diode LED lamps use a 710001 red or 710002 LED shallow lens assembly that can be wired as either a single or double contact lamp.



Multi-voltage LED lamps use a 920680 red single diode LED assembly with a 920134 red lens or a 920691 white single diode LED assembly with a 920135 amber lens.

All B45 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like aluminum base lamp.

Special purpose Sequential Turn LED Arrow use a 710038 amber shallow lens with arrow overlay that frames the arrow sequencing amber LEDs. Lamp can be used as an additional rear turn or used as a mid turn when combined with the required marker light. Lamps are configured in a multi-diode arrow array and operate in a Multi-voltage application. **For optimal sequencing, turn signal flash rate should not exceed 85 flashes per minute.**

See pages 68 & 69 for mounting brackets.




PART NO. SPECIAL PURPOSE SEQUENTIAL LED

457001	Sequential turn, amber LED, black valox body with 920413 cable choke seal installed
457002	Sequential turn, amber LED, gray valox body with 920413 cable choke seal installed
457003	Sequential turn, amber LED, black valox body with 920413 cable choke seal installed in Caution Wide Turn stainless steel frame with bracket and hardware. Curb side - Right turn
457004	Sequential turn, amber LED, black valox body with 920413 cable choke seal installed in Caution Wide Turn stainless steel frame with bracket and hardware. Street side - Left turn
457005	Sequential turn, amber LED, gray valox body with 920420 wire choke seal installed
457008	Sequential turn, amber LED, black valox body with 920420 wire choke seal installed
457113	Sequential turn, amber LED, gray valox body
457115	Sequential turn, amber LED, black valox body

PART NO. TURN, SINGLE CONTACT SHALLOW LENS

450025	Amber, incandescent bulb
450048	Amber, incandescent bulb with 18" pigtails installed
450051	Amber, incandescent bulb with (3) 920413 cable chokes seals installed
450065	Amber, incandescent bulb with 8' of 2 conductor cable installed
450093	Amber, B45 replacement, incandescent bulb with ground strap
450109	Amber, B45 replacement, incandescent bulb with ground strap and 18" pigtail installed
450151	Amber, B45 replacement, incandescent bulb with (3) 920413 cable choke seals installed with ground strap



452025
452048
452051
452065
452093
452100
452151
452165
455025

Amber, LED
Amber, LED with 18" pigtails installed
Amber, LED, with (3) 920413 cable choke seals installed
Amber, LED with 8' of 2 conductor cable installed
Amber, LED B45 replacement, with ground strap
Amber, LED B45 replacement, with ground strap and 18" pigtail
Amber, LED B45 replacement, with (3) 920413 cable choke seals installed with ground strap
Amber, LED B45 replacement with 8' of 2 conductor cable installed with ground strap
Amber, Multi-voltage single diode LED



PART NO.

450024
450047
450050
450064
450092
450108
450150
450164

STOP, TURN, SINGLE CONTACT SHALLOW LENS

Red, incandescent bulb
Red, incandescent bulb, with 18" pigtails installed
Red, incandescent bulb, with (3) 920413 cable choke seals installed
Red, incandescent bulb, with 8' of 2 conductor cable installed
Red, B45 replacement, incandescent bulb with ground strap
Red, B45 replacement, incandescent bulb with ground strap and 18" pigtail
Red, B45 replacement, incandescent bulb with (3) 920413 cable choke seals installed with ground strap
Red, B45 replacement, incandescent bulb with 8' of 2 conductor cable installed with ground strap

452028
452047
452054
452064
452096
452099
452154
453028
453047
453064

Red, LED
Red, LED with 18" pigtail installed
Red, LED with (3) 920413 choke seals installed
Red, LED with 8' of 2 conductor cable installed
Red, LED B45 replacement, with ground strap
Red, LED B45 replacement, with ground strap and 18" pigtail
Red, LED B45 replacement, with (3) 920413 choke seals installed with ground strap
Red, Multi-voltage single diode LED
Red, Multi-voltage single diode LED with 18" pigtails installed
Red, Multi-voltage single diode LED with 8' of 2 conductor cable installed

PART NO.

450028
450042
450045
450054
450058
450096
450103
450110
450145
450154

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT SHALLOW LENS

Red, incandescent bulb
Red, incandescent bulb with 18" pigtails installed
Red, incandescent bulb with 8' of 3 conductor cable installed
Red, incandescent bulb with (3) 920413 cable choke seals installed
Red, incandescent bulb with 1/4"-20 stud mounts
Red, B45 replacement, incandescent bulb with ground strap
Red, B45 replacement, incandescent bulb with ground strap and 18" pigtails installed
Red, B45 replacement, incandescent bulb with 1/4"-20 stud mounts with ground strap
Red, B45 replacement, incandescent bulb with 8' of 3 conductor cable installed with ground strap
Red, B45 replacement, incandescent bulb with (3) 920413 choke seals installed with ground strap

452028
452042
452045
452054
452058
452096
452101
452103
452145
452154
453042
453045
453054
453058
453128
453142
453145
453158

Red, LED
Red, LED with 18" pigtails installed
Red, LED with 8' of 3 conductor cable installed
Red, LED with (3) 920413 cable choke seals installed
Red, LED with 1/4"-20 stud mounts
Red, LED B45 replacement with ground strap
Red, LED B45 replacement with 1/4"-20 stud mounts with ground strap
Red, LED B45 replacement with ground strap and 18" pigtails installed
Red, LED B45 replacement with 8' of 3 conductor cable and ground strap
Red, LED B45 replacement with (3) 920413 choke seals installed with ground strap
Red, Multi-voltage single diode LED
Red, Multi-voltage single diode LED with 18" pigtails installed
Red, Multi-voltage single diode LED with 8' of 3 conductor cable installed
Red, Multi-voltage single diode LED with (3) 920413 cable choke seals installed
Red, Multi-voltage single diode LED with 1/4"-20 stud mounts
Red, B45 replacement, Multi-voltage single diode LED with ground strap
Red, B45 replacement, Multi-voltage single diode LED with ground strap and 18" pigtails
Red, B45 replacement, Multi-voltage single diode LED with 8' of 3 conductor cable and ground strap
Red, B45 replacement, Multi-voltage single diode LED with 1/4"-20 stud mounts with ground strap

Stop, Tail, Turn Lamps



A valox body lamp available in both incandescent and LED versions. The incandescent version features either a 920144 red or 920145 amber deep lenses. Lamps are available in either single contact or double contact functions.


Single contact incandescent lamps use a 920460 socket and 1156 bulb and the double contact uses a 920459 socket and 1157 bulb.

Multi-diode LED lamps use a 710011 red or 710012 amber LED deep lens assembly that can be wired as either a single or double contact lamp.

Multi-voltage LED lamps use a 710031 red LED deep lens assembly, or a 710034 amber LED deep lens assembly.

All B45 direct aluminum replacement lamps come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

See pages 68 & 69 for mounting brackets.



PART NO.

450027
450053
450095
450153

TURN, SINGLE CONTACT DEEP LENS

Amber, incandescent bulb
Amber, incandescent bulb with (3) 920413 cable choke seals installed
Amber, B45 replacement, incandescent bulb with ground strap
Amber B45 replacement, incandescent bulb with (3) 920413 cable choke seals installed with ground strap

452027
452053
452093
453159

Amber, LED
Amber, LED with (3) 920413 cable choke seals installed
Amber, LED B45 replacement with ground strap
Amber, Multi-voltage single diode LED

PART NO.

450026
450052
450094
450152

STOP OR TURN, SINGLE CONTACT DEEP LENS

Red, incandescent bulb
Red, incandescent bulb with (3) 920413 cable choke seals installed
Red, B45 replacement, incandescent bulb with ground strap
Red, B45 replacement, incandescent bulb with (3) 920413 cable choke seals installed with ground strap

452029
452055
452097

Red, LED
Red, LED with (3) 920413 cable choke seals installed
Red, LED B45 replacement with ground strap

PART NO.

450029
450055
450097
450155

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT DEEP LENS

Red, incandescent bulb
Red, incandescent bulb with (3) 920413 cable choke seals installed
Red, B45 replacement, incandescent bulb with ground strap
Red, B45 replacement, incandescent bulb with (3) 920413 choke seals installed with ground strap
Red, LED
Red, LED with (3) 920413 cable choke seals installed
Red, LED B45 replacement with ground strap
Red, LED B45 replacement with (3) 920413 choke seals installed with ground strap





PART NO.

450069
452069
452070
453069
453070

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT

Red, with black valox body
Red LED, black valox body
Amber LED, black valox body
Red Multi-voltage LED, black valox body
Amber Multi-voltage LED, black valox body






A surface mount lamp available in both incandescent and LED versions. Lamps will use either a 920134 red or 920135 amber shallow lens with a 920460 single contact socket, and 1156 bulb or a 710001 red or 710002 amber LED lens assembly.

Body must be drilled and tapped for wire entry.



PART NO.	TURN SINGLE CONTACT SHALLOW LENS
470017	Amber, valox body
472017	Amber LED, valox body
PART NO.	STOP OR TURN SINGLE CONTACT SHALLOW LENS
470016	Red, valox body
PART NO.	STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT SHALLOW LENS
470020	Red, valox body
472020	Red, LED valox body



A surface mount lamp available in both incandescent and LED versions. The incandescent version features a 920144 red or a 920145 amber deep lens and uses a 920460 single contact socket and a 1156 bulb or a 920459 double contact socket and a 1157 bulb. The LED version uses a 710011 red or a 710012 amber LED lens assembly. Surface mount.


Body must be drilled and tapped for wire entry.



PART NO.	TURN SINGLE CONTACT DEEP LENS
470019	Amber, valox body
472019	Amber LED valox body
PART NO.	STOP OR TURN SINGLE CONTACT DEEP LENS
470018	Red, valox body
PART NO.	STOP, TURN, OR TAIL DOUBLE CONTACT DEEP LENS
470021	Red, valox body
472021	Red, LED valox body



A tough nylon bodied lamp available in both an incandescent or Multi-voltage LED version. Both versions feature a 920454 red or a 920464 amber lens. The incandescent version uses a 920460 single contact socket and 1156 bulb or a 920459 double contact socket and 1157 bulb. The LED version features a 920685 red LED assembly for front or rear stop, turn, and tail. For amber, two assemblies are utilized - a 920686 LED assembly for a side turn and marker or a 920692 for rear turn only.



Bodies are available with either a cable choke seal entrance (920413) or a wire choke seal entrance (920420).

Recess mount, see pages 68 & 69 for mounting brackets.

PART NO.

730003

730013

735003

TURN SINGLE CONTACT

Amber, with 920413 cable choke seal installed

Amber, with 920420 wire choke seal installed

Amber Multi-voltage single diode LED, with 920413 cable choke seal installed

PART NO.

730002

730012

STOP OR TURN SINGLE CONTACT

Red, with 920413 cable choke seal installed

Red, with 920420 wire choke seal installed

PART NO.

730005

730007

730015

SIDE TURN/MARKER DOUBLE CONTACT

Amber, with 920413 cable choke seal installed

Amber, plug-in replacement lamp with 3 conductor female plug

Amber, with 920420 wire choke seal installed

733003

733007

Amber Multi-voltage single diode LED, with 920413 cable choke seal installed

Amber Multi-voltage single diode LED, plug in replacement lamp with 3 conductor plug

PART NO.

730001

730011

733001

733011

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT

Red, with 920413 cable choke seal installed

Red, with 920420 wire choke seal installed

Red Multi-voltage single diode LED, with 920413 cable choke seal installed

Red Multi-voltage single diode LED, with 920420 wire choke seal installed

730006

733006

Red, plug-in replacement lamp with 3 conductor plug


Red Multi-voltage single diode LED, plug in replacement lamp with 3 conductor plug



77 series lamps feature a valox body and are available in an incandescent or a red LED version. The incandescent bulb version features a 920152 red or a 920153 amber lens. The single contact lamp uses a 920460 socket and 1156 bulb and the double contact lamp uses a 920459 socket and 1157 bulb. The LED version uses a 920687 red LED assembly that can either be used as a single or double contact lamp.

Bodies must be drilled and tapped for wire entry unless otherwise stated.

Recess mount, see pages 68 & 69 for mounting brackets.



PART NO.

770002

770005

TURN SINGLE CONTACT

Amber

Amber, with 12' of 2 conductor cable installed

PART NO.

770001

770004

770023

773023

STOP OR TURN SINGLE CONTACT

Red

Red, with 12' of 2 conductor cable installed

Red, with 12' of 2 conductor cable installed, stud mount

Red, Multi-voltage single diode LED, with 12' of 2 conductor cable installed, stud mount

PART NO.

770003

770006

773001

773006

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT

Red, valox body

Red, valox body with 12' of 3 conductor cable installed

Red, Multi-voltage single diode LED


Red, Multi-voltage single diode LED, with 12' of 3 conductor cable installed



77 series lamps feature a valox body and are available in an incandescent or a LED version. The incandescent bulb version features a 920156 red arrow or a 920157 amber arrow lens and uses a 920460 socket and 1156 bulb. The LED version uses a 920687 red LED assembly for the red arrow or a 920688 amber LED assembly for the amber arrow lens.

Bodies must be drilled and tapped for wire entry unless otherwise stated.

Recess mount, see pages 68 & 69 for mounting brackets.



PART NO.

770007

770008

770019

770020

770021

770022

773007

773008

773019

773020

773021

773022

TURN SINGLE CONTACT

Red (Arrow), valox body with 12' of 2 conductor cable installed

Amber (Arrow), valox body with 12' of 2 conductor cable installed

Red (Arrow), valox body with 1/4"-20 stud mounts and 12' of 2 conductor cable installed

Amber (Arrow), valox body with 1/4"-20 stud mounts and 12' of 2 conductor cable installed

Red (Arrow), valox body

Amber (Arrow), valox body

Red, Multi-voltage single diode LED (Arrow), with 12' of two conductor cable installed

Amber, Multi-voltage single diode LED (Arrow), with 12' of two conductor cable installed

Red, Multi-voltage single diode LED (Arrow), with 1/4"-20 stud mounts and 12' of 2 conductor cable installed

Amber, Multi-voltage single diode LED (Arrow), with 1/4"-20 stud mounts and 12' of 2 conductor cable installed

Red, Multi-voltage single diode LED (Arrow)

Amber, Multi-voltage single diode LED (Arrow)




NOTE: See page 82 for parts breakdown

Pedestal mount aluminum body lamp available in an incandescent and LED version. Incandescent bulb version features a 920134 red or 920135 amber lens. The single contact bulb version uses a 920015 single contact socket and 1156 bulb and the double contact lamp uses a 920013 double contact socket and 1157 bulb. The LED versions use a 710003 red or 710004 amber LED lens assembly.

Requires a mounting hole large enough to accommodate a 3/4" diameter stud mount.

Lamps include 18" pigtails.



PART NO.

800012

800212

PART NO.

800011

PART NO.

800013

800213

TURN SINGLE CONTACT

Amber, aluminum body

Amber LED, aluminum

STOP OR TURN SINGLE CONTACT

Red, aluminum body

STOP, TAIL, TURN OR CLEARANCE DOUBLE CONTACT

Red, aluminum body

Red LED, aluminum

Stop, Turn, & Tail Lamps



NOTE: See page 82 for parts breakdown

PART NO.
810012

810212

PART NO.
810011

PART NO.
810013
810213

Pedestal mount aluminum body lamp is available in an incandescent and LED version. Incandescent bulb version features a 920134 red or 920135 amber lens. The single contact bulb version uses a 920015 single contact socket and 1156 bulb and the double contact lamp uses a 920013 double contact socket and 1157 bulb. The LED versions use a 710003 red or 710004 amber LED lens assembly.

Requires a mounting hole large enough to accommodate a 9/16" diameter stud mount.

Lamps include 18" pigtails.

TURN SINGLE CONTACT

Amber, aluminum body

Amber LED, aluminum


STOP OR TURN SINGLE CONTACT

Red, aluminum body

STOP, TAIL, TURN OR CLEARANCE DOUBLE CONTACT

Red, aluminum body

Red LED, aluminum



Back Up Lamps



Back up lamps are available in incandescent multi and single diode, and both are Multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.

ALL B40 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

All B70 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp and with a 1/4" N.P.T. hole in the center.

Bodies must be drilled or tapped for wire entry unless otherwise noted.

Recess mount, see page 68 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. compliance.

PART NO.

400043
400063
400075
400089

402043
402063
402075
402089
405043

BACK UP

Clear, valox body

Clear, valox body with (3) 920413 choke seals installed

Clear, B70 replacement, valox body with ground strap

Clear, B40 replacement valox body with ground strap


Clear, multi-diode Multi-voltage LED, valox body


Clear, multi-diode Multi-voltage LED, valox body with (3) 920413 cable choke seals installed

Clear, B70 replacement, multi-diode Multi-voltage LED, valox body with ground strap

Clear, B40 replacement, multi-diode Multi-voltage LED, valox body with ground strap

Clear, Multi-voltage single diode LED, valox body





Back up lamps are available in incandescent and in both multi and single diode Multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.

All B45 direct aluminum replacements come with a ground strap that utilizes the base as a ground like an aluminum base lamp.

Bodies must be drilled or tapped for wire entry unless otherwise noted.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance.



PART NO.

450032

450057

450067

455032

455067

BACK UP

Clear, valox body

Clear, valox body with (3) 920413 choke seals installed

Clear, valox body with 8' of 2 conductor cable installed

Clear, Multi-voltage single diode LED, valox body

Clear, Multi-voltage single diode LED, valox body with 8' of 2 conductor cable installed

450099

450157

450167

450299

452032

452057

452067

452157

452167

455032

455067

Clear, B45 replacement, valox body with ground strap

Clear, B45 replacement, valox body with (3) 920413 cable choke seals installed with ground strap

Clear, B45 replacement, valox body with 8' of 2 conductor cable installed with ground strap

Clear, B45 replacement, multi-diode multi-voltage, valox body

Clear, Multi-voltage multi-diode LED, valox body

Clear, Multi-voltage multi-diode LED, valox body with (3) 920413 choke seals installed


Clear, Multi-voltage multi-diode LED, valox body with 8' of 2 conductor cable installed

Clear, B45 replacement, multi-diode Multi-voltage LED, valox body with (3) 920413 cable choke seals installed with ground strap

Clear, B45 replacement, multi-diode Multi-voltage LED, valox body with 8' of 2 conductor cable installed with ground strap

Clear, Multi-voltage single diode LED, valox body

Clear, Multi-voltage single diode LED, valox body with 8' of 2 conductor cable installed



Back up lamps are available in incandescent and in both multi and single diode multi-voltage. LED lamps are designed to operate for either 12 or 24 volt systems. Incandescent lamps use a 920139 lens with a 920460 socket and 1156 bulb. Multi-diode lamps use a 710037 LED clear lens assembly and the single diode lamp uses a 920139 lens with a 920691 single diode LED assembly.

Bodies must be drilled or tapped for wire entry unless otherwise noted.

Surface mount

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance

PART NO.

470024

472024


475024

BACK UP

Clear, Valox body

Clear, Multi-voltage multi-diode LED, valox body

Clear, Multi-voltage single diode LED, valox body



A back up lamp with a 1/4" N.P.T. threaded rear entry. Lamp features a Valox body with a 920112 deep clear lens with a press fit socket and 1156 bulb. Lamps are direct replacement to aluminum body version using a ground strap that utilizes the base of the lamp as a ground.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 compliance

PART NO.

500051

500062

BACK UP

Clear, valox body with ground strap

Clear, valox body with choke seal with pigtail and ground strap



Back Up Lamps




PART NO.
560027
560037
560054

A valox body back up lamp that features a 920112 deep clear lens, 920367 socket and 1156 bulb. All B56 direct aluminum replacements feature a ground strap that utilizes the base of the lamp as a ground.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 conformance.



BACK UP

Clear, valox body with 920413 cable choke seal installed
 Clear, valox body
 Clear, B56 replacement, valox body with ground strap


Cabinet, Meter & Dome Lamps



PART NO.
730004
730008
730014

735004
735008

A tough nylon bodied lamp available in both an incandescent or Multi-voltage LED version. Both versions feature a 920497 clear lens. The incandescent version uses a 920460 socket and 1156 bulb. The LED version features a 920692 clear LED assembly.



Bodies must be drilled and tapped for wire entry unless otherwise noted.

Recess mount, see pages 68 & 69 for mounting brackets.

NOTE: Two back up lamps are required per vehicle to meet F.M.V.S.S. 108 conformance.

BACKUP

Clear, with 920413 cable choke seal installed
 Clear, plug-in replacement lamp with 3 conductor plug
 Clear, with 920420 wire choke seal installed


Clear, Multi-voltage single diode LED, with 920413 cable choke seal installed
 Clear, Multi-voltage single diode LED, plug in replacement lamp with 3 conductor plug



PART NO.
820011
820311
820317
820319

A low profile dome or cabinet lamp with a 920077, 3 amp toggle switch. Incandescent bulb features a 920133 clear lens with a 920014 socket and a 1141 bulb. LED version features a 710026 clear LED lens assembly. A ground must be provided to all valox lamps

NOTE: Incandescent lamps are designed for use with 1141 bulbs only.




CABINET/METER/DOME

Clear, aluminum body
 Clear, Multi-voltage single diode LED, aluminum body
 Clear, Multi-voltage single diode LED, valox body
 Clear, Multi-voltage single diode LED, valox body with 920420 wire choke seal installed




PART NO.
240003

A meter or cabinet lamp that uses a shielded 920055 deep lens and a 67 incandescent bulb.



CABINET/METER/DOME

Silver, aluminum body



A dome or compartment lamp available in both incandescent and LED versions with a 920038 20 amp toggle switch. The incandescent version uses a 920133 clear shallow lens, a 920460 socket and 1141 bulb. The LED version uses a 710026 single diode Multi-voltage LED clear lens assembly. All bodies must be provided with an internal ground.

Bodies must be drilled and tapped for wire or cable entry.

NOTE: Incandescent lamps are designed for use with 1141 bulbs only.



PART NO.


470013

470313

CABINET/METER/DOME

Clear, valox body

Clear, Multi-voltage single diode LED, valox body



A dome or compartment lamp available in both incandescent and LED versions with a 920038 20 amp toggle switch. The incandescent version uses a 920140 clear deep lens, a 920460 socket and 1141 bulb. The LED version uses a 710027 single diode Multi-voltage LED clear lens assembly. All bodies must be provided with an internal ground.

Bodies must be drilled and tapped for wire or cable entry.

NOTE: Incandescent lamps are designed for use with 1141 bulbs only.



PART NO.


470043

470343

CABINET/METER/DOME

Clear, valox body

Clear, Multi-voltage single diode LED, valox body



A valox body threaded entry model dome or cabinet lamp available in both incandescent or LED. Incandescent lamp version features a 920115 clear shallow lens with a press fit socket and a 67 bulb, or a 920111 clear deep lens with a press fit socket and 1141 bulb. LED version features a 510055 Multi-voltage single diode shallow LED lens assembly or a 510056 Multi-voltage single diode deep LED lens assembly. Bodies are furnished with a 1/4" N.P.T. wire entrance. All bodies include an installed ground strap for body grounding.



PART NO.


500056

500356

CABINET/METER/DOME SHALLOW LENS

Clear, B50 replacement, incandescent bulb with ground strap

Clear, B50 replacement, Multi-voltage single diode LED with ground strap



PART NO.

500057

500357

CABINET/METER/DOME DEEP LENS

Clear, B50 replacement, incandescent bulb with ground strap

Clear, B50 replacement, Multi-voltage single diode LED with ground strap



Cabinet, Meter & Dome Lamps



NOTE: See page 18 for aluminum dimensions.

PART NO.

200023

CABINET/METER/DOME ONE END ENTRANCE


Clear, aluminum body

200024

Clear, valox body

200224

Clear LED, valox body



NOTE: See page 18 for aluminum dimensions.

PART NO.

210009

CABINET/METER/DOME TWO END ENTRANCES


Clear, aluminum body

210010

Clear, valox body


210210

Clear, valox body, LED



NOTE: See page 14 for shallow lens dimensions.

A dome, meter or cabinet lamp in a valox body. Lamps are available in both incandescent and LED versions. Incandescent versions feature either a 920115 clear shallow lens, 920367 socket with a 67 bulb or a 920111 clear deep lens, 920367 socket and a 1141 bulb. LED versions feature either a 510055 clear shallow LED lens assembly or a 510056 clear deep LED lens assembly. B56 direct replacement lamps feature a ground strap for body grounding.



Bodies must be drilled or tapped for wire or cable entry unless otherwise specified.

Recess mount, see page 68 for mounting brackets.

PART NO.

CABINET/METER/DOME SHALLOW LENS

560036

Clear, valox body, incandescent bulb

560060

Clear B56 replacement, valox body, incandescent bulb with ground strap

560381

Clear, valox body, Multi-voltage single diode LED

560383

Clear, valox body, Multi-voltage single diode LED with 920413 choke seal installed

PART NO.

CABINET/METER/DOME DEEP LENS

560051

Clear, valox body, incandescent bulb

560061


Clear B56 replacement, valox body, incandescent bulb with ground strap

560382

Clear, valox body, Multi-voltage single diode LED

560384

Clear, valox body, Multi-voltage single diode LED with 920413 choke seal installed



A dome, meter or cabinet lamp in a valox body. Lamps are available in both incandescent and LED versions. Incandescent versions feature either a 920115 clear shallow lens, 920367 socket with a 67 bulb or a 920111 clear deep lens, 920367 socket and a 1141 bulb. LED versions feature either a 510055 clear shallow LED lens assembly or a 510056 clear deep LED lens assembly. A 920078 3 amp toggle switch is only available in the deep lens incandescent bulb version but available in both shallow and deep LED versions.



Bodies must be drilled or tapped for wire or cable entry unless otherwise specified.

PART NO.

CABINET/METER/DOME SHALLOW LENS

570025

Clear, valox body incandescent bulb without switch

570325

Clear, valox body, Multi-voltage single diode LED without switch

570344

Clear, valox body, Multi-voltage single diode LED with switch

PART NO.

CABINET/METER/DOME DEEP LENS

570026

Clear, valox body incandescent bulb with switch

570326

Clear, valox body, Multi-voltage single diode LED with switch

570342

Clear, valox body, Multi-voltage single diode LED without switch

Sealed Beam Work Lamps


Sealed Beam flood lamps feature a par 36 style bulb available in both incandescent and LED versions. The bulb is held in place with a EPDM retaining ring with the same snap seal o ring sealing characteristics used in all Betts lighting. Bulb versions use a clear 4466 flood and a 920234 retaining grommet, LED's use a 920775 LED bulb and a 920734 retaining grommet. **This retaining grommet is different than the incandescent version due to the shape of the LED bulb.** For additional bulb protection on the incandescent bulb versions a 920071 retaining grommet has been extended to allow a 920143 clear shallow lens that provides additional protection from bulb breakage. This extended retaining grommet is not available in the LED version. All direct replacements for aluminum body lamps feature a ground strap that utilizes the body as a ground.

Also available mounted in 920731 flush mount angled casting to give a 30 degree down and out illuminated viewing area when backing up.


Bodies must be drilled and tapped for wire or cable entry.



450533 shown



400072 shown



PART NO.

SEALED BEAM FLOOD, SPOT, AND WORK LAMPS

400044

Clear, valox body incandescent bulb, flood

400092

Clear, valox body incandescent bulb, flood with ground strap

400072

Clear, valox body incandescent bulb with extended grommet and lens, flood

400094

Clear, valox body incandescent bulb with extended grommet and lens, flood with ground strap

400094

Clear, valox body incandescent bulb with extended grommet and lens, flood with ground strap



400544

Clear, valox body LED flood

CONTINUED ON NEXT PAGE

Sealed Beam Work Lamps

CONTINUED FROM
PREVIOUS PAGE



404002 shown

PART NO.

SEALED BEAM FLOOD, SPOT, AND WORK LAMPS

404000

Clear, valox body incandescent bulb, flood with 920420 wire choke seal with 920728 casting

404001


Clear, valox body incandescent bulb, flood with 920420 wire choke seal and 18 inch pigtails with 920728 casting

404002


Clear, valox body LED bulb, flood with 920420 wire choke seal with 920728 casting

404003

Clear, valox body LED bulb, flood with 920420 wire choke seal and 18 inch pigtails with 920728 casting



450533 shown



450063 shown

PART NO.

SEALED BEAM FLOOD, SPOT AND WORK LAMPS

450033

Clear, valox body incandescent bulb, flood

450102

Clear, valox body incandescent bulb, flood with ground strap

450063


Clear, valox body incandescent bulb with extended grommet and lens, flood

450112

Clear, valox body incandescent bulb with extended grommet and lens, flood with ground strap

450533

Clear, valox body LED flood



PART NO.

SEALED BEAM INCANDESCENT BLUB, FLOOD SPOT AND WORK LAMPS

470025

Clear, valox body

470525


Clear, valox body LED flood

Sealed Beam flood lamps feature a par 36 style bulb available in both incandescent and LED versions. The bulb is held in place with an EPDM retaining ring with the same Snap Seal o ring sealing characteristics used in all Betts lighting. Bulb versions use a clear 4466 flood or a H7616 halogen spot and a 920234 retaining grommet, LED's use a 920775 LED bulb and a 920734 retaining grommet. This retaining grommet is different than the incandescent version due to the shape of the LED bulb.

For additional bulb protection on the incandescent bulb versions a 920071 retaining grommet has been extended to allow a 920143 clear shallow lens that provides additional protection from bulb breakage. This extended retaining grommet is not available in the LED version. Lamp bodies are powder coated aluminum.

Lamps feature both horizontal and vertical rotation.


Available in either a (1) abrasion resistant lead wire for body grounding or a (2) abrasion resistant lead wires for internal or common grounding.




PART NO.	WORKLIGHT WITH (1) LEAD WIRE REGULAR GROMMET
315001	Clear, sealed beam flood
315003	Clear, sealed beam flood with 920039 20 amp toggle switch
315005	Clear, halogen spot
315007	Clear, halogen spot with 920039 20 amp toggle switch
315501	Clear, LED flood
315503	Clear, LED flood with 920078 3 amp toggle switch



Also available in
white or black



PART NO.	FLOOD WITH (2) LEAD WIRES REGULAR GROMMET
325001	Clear, sealed beam flood
325003	Clear, sealed beam flood with 920039 20 amp toggle switch
325005	Clear, halogen spot
325007	Clear, halogen spot with 920039 20 amp toggle switch
325501	Clear, LED flood
325503	Clear, LED flood with 920078 3 amp toggle switch



PART NO.	WORKLIGHT WITH (1) LEAD WIRE EXTENDED GROMMET
315009	Clear, sealed beam flood
315010	Clear, sealed beam flood with 920039 20 amp toggle switch
315011	Clear, halogen spot
315012	Clear, halogen spot with 920039 20 amp toggle switch



Also available in
white or black

PART NO.	WORKLIGHT WITH (2) LEAD WIRES EXTENDED GROMMET
325009	Clear, sealed beam flood
325010	Clear, sealed beam flood with 920039 20 amp toggle switch
325011	Clear, halogen spot
325012	Clear, halogen spot with 920039 20 amp toggle switch

Sealed Beam Work Lamps



Also available in white or black



Also available in white or black



Also available in white or black




Also available in white or black

Work lights are available in either a standard fixed pedestal mount or an adjustable pedestal mount. Pedestal mount sealed beam lamp with either a 9/16" or 13/16" mounting stud. Lamps use a 4466 clear flood, H7616 clear halogen spot, 4415A amber sealed beam held in place with a 920234 retaining grommet. LED lamps using a 920775 LED flood use a 920734 retaining grommet. Lamps come equipped with a abrasion resistant 18 inch pigtail. Adjustable pedestal mount lamps use a 9/16" mounting stud. All mounting hardware is included with lamps.


For additional bulb protection on the incandescent bulb versions a 920071 retaining grommet has been extended to allow a 920143 clear shallow lens that provides additional protection from bulb breakage. This extended retaining grommet is not available in the LED version. Lamp bodies are powder coated aluminum.

Note: LED light utilizes a different retaining grommet than traditional PAR 36 lights due to shape of bulb.

- PART NO. 13/16 MOUNTING STUD, REGULAR GROMMET**
- 800014** Clear, sealed beam flood
 - 800015** Amber, sealed beam flood
 - 800018** Clear, sealed beam flood with 920039 20 amp toggle switch
 - 800514** Clear, LED flood
 - 800518** Clear, LED flood with 920078 3 amp toggle switch




- PART NO. 9/16 MOUNTING STUD, REGULAR GROMMET**
- 800016** Clear, sealed beam flood
 - 800017** Amber, sealed beam flood
 - 800516** Clear, LED flood




- PART NO. 13/16 MOUNTING STUD, EXTENDED GROMMET**
- 800019** Clear, sealed beam flood
 - 800020** Amber, sealed beam flood
 - 800023** Clear, sealed beam flood with 920039 20 amp toggle switch

- PART NO. 9/16 MOUNTING STUD, EXTENDED GROMMET**
- 800021** Clear, sealed beam flood
 - 800022** Amber, sealed beam flood



- PART NO. ADJUSTABLE STUD MOUNT, REGULAR GROMMET**
- 805001** Clear, sealed beam flood
 - 805002** Amber, sealed beam flood
 - 805003** Clear, sealed beam flood with 920039 20 amp toggle switch
 - 805005** Clear, sealed beam flood with 920420 wire choke seal installed
 - 805006** Amber, sealed beam flood with 920420 wire choke seal installed
 - 805021** Clear, halogen spot
 - 805022** Clear, halogen spot with 920039 20 amp toggle switch
 - 805501** Clear, LED flood
 - 805503** Clear, LED flood with 920078 3 amp toggle switch
 - 805505** Clear, LED flood with 920420 wire choke seal installed

- PART NO. ADJUSTABLE STUD MOUNT, EXTENDED GROMMET**
- 805011** Clear, sealed beam flood
 - 805012** Amber, sealed beam flood
 - 805013** Clear, sealed beam flood with 920039 20 amp toggle switch
 - 805014** Clear, sealed beam flood with 920420 wire choke seal installed
 - 805015** Amber, sealed beam flood with 920420 wire choke seal installed
 - 805025** Clear, halogen spot
 - 805026** Clear, halogen spot with 920039 20 amp toggle switch



Note: All lamps available in gray, white or black powder coating.


Features 18 brass circuit studs in a moisture and corrosion free environment. Entry on all 4 sides using 4-920413 Choke Seals and 1-920402 cable entrance fitting. Also includes 1-920412 1/2" N.P.T. square head pipe plug and stud hardware package 920414. May also be ordered custom drilled/tapped to specifications. See catalog supplement No. 1.

PART NO.

- 351044** Complete unit - drilled and tapped
- 351045** Complete unit - undrilled
- 920209** Circuit bridge
- 920411** Sq. head plug 3/8" N.P.T.
- 920412** Sq. head plug 1/2" N.P.T.
- 920414** Hardware package
- 920444** Sq. head plug 3/4" N.P.T.
- 920449** Fasteners (4)
- 920450** Cover, fastener & o-ring
- 920600** O-ring for new style covers







DRI-SEAL
CIRCUIT BOX



CUSTOM DRILLING

Specify drilling size and location desired. Cable entrance fittings are 3/8", 1/2" & 3/4" N.P.T. Choke Seals require 9/16" holes.



Junction boxes feature a polycarbonate shallow clear lens 920143. They are available with or without a 7 pole terminal disc with hardware. Boxes must be drilled and tapped unless otherwise stated. Mounting gasket and screws included. Recess or surface mount available.

PART NO.

- 400045** Clear, valox body
- 400095** Clear, valox body with chassis ground

RECESS MOUNT - WITHOUT TERMINAL DISC

RECESS MOUNT - WITH TERMINAL DISC

- 400054** Clear, valox body
- 400096** Clear, valox body with chassis ground

RECESS MOUNT - WITHOUT TERMINAL DISC

- 450034** Clear, valox body

RECESS MOUNT - WITH TERMINAL DISC


- 450044** Clear, valox body

SURFACE MOUNT - WITHOUT TERMINAL DISC

- 470026** Clear, valox body

SURFACE MOUNT - WITH TERMINAL DISC

- 470041** Clear, valox body



PART NO.

- 450061** Clear, valox body

Ready to install junction boxes with 7 pole terminal disc assembly. Features a durable Valox body and a polycarbonate shallow clear lens 920143. Boxes are drilled and tapped with entry fittings installed. Fittings include (1) cable entrance fitting 920402, (4) 1 hole cable choke seals 920413 and (1) 4 hole wire choke seal 920420. Mounting gasket and screws included. Recess mount.

Junction Boxes




PART NO.
470042

Ready to install junction boxes which each feature a 7 pole terminal disc assembly. Features a heavy duty Valox body and a polycarbonate shallow clear lens 920143. Boxes are drilled and tapped with entry fittings installed. Mounting gasket and screws included. Surface mount.

470046

Clear, valox body with (1) cable entrance fitting 920402, (1) four hole wire choke seal 920420 and (4) one hole cable choke seals 920413


Clear, valox body with (1) cable entrance shrink fitting 920326 and (2) one hole cable choke seals 920413



PART NO.
470063

For use with non-piped conventional wiring. Ready to install junction box with a 7 pole terminal disc assembly. Provided with a polycarbonate shallow clear lens 920143. Models are drilled and tapped with entry fittings installed. Mounting gasket and screws included. Surface mount.

Clear, valox body with (1) cable entrance fitting 920402 and (5) four hole wire choke seals 920420



PART NO.
560022

Junction boxes feature a durable valox body and a polycarbonate shallow clear lens 920115. They are available with or without a 4 pole terminal disc with hardware. Body must be drilled and tapped for wire entry. Mounting gasket and screws included. Recess mount.


WITHOUT TERMINAL DISC

Clear, valox body

WITH TERMINAL DISC

560026

Clear, valox body



PART NO.
570027

Junction boxes feature a durable valox body and a polycarbonate shallow clear lens 920115. They are available with or without a 4 pole terminal disc with hardware. Body must be drilled and tapped for wire entry unless otherwise stated. Mounting gasket and screws included. Surface mount.


WITHOUT TERMINAL DISC


Clear, valox body

WITH TERMINAL DISC

570037
570038

Clear, valox body
Clear, valox body with (1) cable entrance fitting and (2) cable choke seals installed






PART NO.

300011

This is a heavy duty aluminum junction box with 16 brass circuit studs. It is completely sealed and has 12 wire entrances distributed on 4 sides. The clear Snap-Seal polycarbonate cover enables easy access for circuit checking. Sealed entries include (1) cable entrance fitting 920402, (1) 1/2" N.P.T. plastic plug, (10) one hole cable choke seals 920413. A 16 pole hardware package is included. Surface mount.

Clear, aluminum body (35181AL)



PART NO.


400079

B40 series nose boxes are standard with heavy duty Valox bodies. Covers and bodies are sealed with Betts Snap-Seal O-rings. Mounting gasket and screws are included. Bodies must be drilled and tapped for wire entry. Recess mount.

With 6-way socket

400080

With 7-way socket



PART NO.

300012

These new Betts heavy-duty nose boxes come completely sealed ready for installation. The 7-way socket comes with or without circuit breakers and is prewired to a 7-pole terminal disc. Machined glad hand (side blocks) 920042 are standard and replaceable. Fits existing trailer mounting brackets.

(A) 7 split pin nonmetallic socket

300013


7 solid pin nonmetallic socket with 20 amp circuit breakers

300015

7 split pin aluminum socket with 20 amp circuit breakers

300016


(B) solid pin aluminum ABS socket



A



B



PART NO.

300014

ABS heavy duty dual socket nose box ready for installation. Comes with ABS socket 920554 and standard socket 920427. Standard socket is prewired to a 7 pole terminal disc. A red and white jumper wire is wired from disc to disc to provide a ground and alternate ABS power source based on the trailer wiring.





Nose Box

PART NO.

920697

A heavy duty plastic body nose box with a 7 way socket. Gasket and hardware are included.




B40 series nose boxes are standard with heavy duty valox bodies. Covers and bodies are sealed with Betts Snap-Seal O-rings. Mounting gasket and screws are included. Bodies must be drilled and tapped for wire entry. Recess mount.

PART NO.

400078

Without socket (40-153)



Gauge holder with shallow clear polycarbonate lens (920143). Requires a 4-3/4" diameter mounting hole.

PART NO.

400077

Clear, valox body

Junction Box Discs & Hardware

PART NO.

920264

(A) Terminal disc with hardware, 7 pole (PDII)

920268

(B) Terminal disc with hardware, 4 pole (PDIIIS)

920265

Hardware package of (7) eyelets, washers and locknuts

920269

Hardware package of (4) eyelets, washers and locknuts

920414

Hardware package of (18) eyelets, washers and locknuts



A



B

PART NO.

920177

(A) Grab ring for Betts 3 cond. & 4 cond. cable (929117)

920178


(B) Grab ring for Betts 2 cond. cable (929177)



PART NO.

920209


Circuit bridge (CB1)



PART NO.
920772

Three high intensity LEDs in a compact housing provides 18 flash patterns to choose from. Body is a high impact weather resistant housing.


LED strobe light



PART NO.
920769

Eight high intensity LEDs in a compact housing provides 16 flash patterns to choose from. Body is a high impact weather resistant housing. This lamp provides more angled viewing thru its optics molded into the polycarbonate lens.


LED strobe light



PART NO.
490001

A high impact LED warning light with complete 360 degree display. Flash pattern can be changed with a button located on the base of the lamp. There are 4 flash patterns available.

LED strobe light



PART NO.
400046
400047
400048
400049

Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

See pages 68 & 69 for mounting brackets.

RECESS MOUNT (PERMANENT)

With 920140 deep clear lens
With 920144 deep red lens
With 920145 deep amber lens
With 920388 deep blue lens





PART NO.


450035
450036
450037
450038

Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

See pages 68 & 69 for mounting brackets.

RECESS MOUNT (PERMANENT)

With 920140 deep clear lens
 With 920144 deep red lens
 With 920145 deep amber lens
 With 920388 deep blue lens




PART NO.

470028
470029
470030
470031

Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket, screws and 8" pigtails included.

SURFACE MOUNT (PERMANENT)

With 920140 deep clear lens
 With 920144 deep red lens
 With 920145 deep amber lens
 With 920388 deep blue lens




PART NO.

470047
470048
470049
470050

Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Includes suction gasket, magnet, 8' of wire and cigarette lighter adapter.

SURFACE MOUNT (TEMPORARY)

With 920140 deep clear lens
 With 920144 deep red lens
 With 920145 deep amber lens
 With 920388 deep blue lens




PART NO.


470032
470033
470034
470065

Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Mounting gasket and screws included.

ROOF MOUNT (PERMANENT)

With 920136 red high hat lens
 With 920137 amber high hat lens
 With 920138 blue high hat lens
 With 920409 clear high hat lens






Strobe featuring high impact valox housing and polycarbonate lens. The Xenon flash tube with a life of 10 million flashes produces an (8) joule output per flash. Has a flash rate of 70 flashes per minute and an effective candle power of 102 with clear lens. Consumes 1 amp at 12 volts. Includes suction gasket, magnet, 8' of wire and cigarette lighter adapter.



PART NO. ROOF MOUNT (TEMPORARY)

- 470051** With 920136 red high hat lens
- 470052** With 920137 amber high hat lens
- 470053** With 920138 blue high hat lens
- 470066** With 920409 clear high hat lens




Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate deep lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Mounting gasket, screws and 8" pigtails included.

See pages 68 & 69 for mounting brackets.



PART NO. RECESS MOUNT (PERMANENT)

- 400050** With 920144 deep red lens
- 400051** With 920145 deep amber lens
- 400052** With 920388 deep blue lens
- 400073** With 920140 deep clear lens




Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate deep lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Mounting gasket, screws and 8" pigtails included.

See pages 68 & 69 for mounting brackets.



PART NO. RECESS MOUNT (PERMANENT)

- 450039** With 920144 deep red lens
- 450040** With 920145 deep amber lens
- 450041** With 920388 deep blue lens
- 450066** With 920140 deep clear lens



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Mounting gasket, screws and 8" pigtails included.




PART NO. SURFACE MOUNT (PERMANENT)

- 470035** With 920144 deep red lens
- 470036** With 920145 deep amber lens
- 470037** With 920388 deep blue lens
- 470067** With 920140 deep clear lens



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Includes suction gasket, magnet, 8' of wire and cigarette lighter adapter.



PART NO.


470054
470055
470056
470068

SURFACE MOUNT (TEMPORARY)

With 920144 deep red lens
With 920145 deep amber lens
With 920388 deep blue lens
With 920140 deep clear lens



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Mounting gasket, screws and 8" pigtails included.



PART NO.


470038
470039
470040
470069

ROOF MOUNT (PERMANENT)

With 920136 red high hat lens
With 920137 amber high hat lens
With 920138 blue high hat lens
With 920409 clear high hat lens



Halogen beacons may be used in place of strobes for many applications. Halogen beacons feature a tough valox housing and polycarbonate high hat lens. Simplified circuitry along with good shock resistance insures less maintenance. The Halogen bulb is field replaceable. Includes suction gasket, magnet, 8' of wire and cigarette lighter adapter.




PART NO.

470057
470058
470059
470070

ROOF MOUNT (TEMPORARY)

With 920136 red high hat lens
With 920137 amber high hat lens
With 920138 blue high hat lens
With 920409 clear high hat lens



A tough durable black bodied valox light available in both incandescent bulb or LED versions. The incandescent bulb version features a 920134 red shallow lens with a 920459 double contact shock stopper socket and a 1157 bulb. The LED version features a 710001 double contact shallow red LED lens assembly. Stud mount provided with 1/4" x 20" mounting studs. Both lamps provided with a 920420 wire choke seal installed in the rear of the lamp with 18" abrasion resistant lead wires.

Recess or stud mounting available.



460001 shown

PART NO.

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT

460001

Red, valox body, stud mount

460004


Red, valox body, recessed mount

462001

Red, LED valox body, stud mount

462004

Red, LED valox body, recessed mount



A tough durable black bodied valox light available in both incandescent bulb or LED versions. The incandescent bulb version features a 920141 red deep lens with a license window and a 920459 double contact shock stopper socket and a 1157 bulb. The LED version features a 710025 double contact deep Multi-voltage single diode red with a single diode white LED lens assembly. Stud mount provided with 1/4" x 20" mounting studs. Both lamps provided with a 920420 wire choke seal installed in the rear of the lamp with 18" in abrasion resistant lead wires.

Recess or stud mounting available.



NOTE: Mounting instructions provided with all license lamps.

PART NO.

STOP, TURN, TAIL, OR CLEARANCE AND LICENSE DOUBLE CONTACT

460002

Red, valox body, recessed mount

460005


Red, valox body, stud mount

463002

Red Multi-voltage single diode LED, valox body, recessed mount

463005

Red Multi-voltage single diode LED, valox body, stud mount



A tough durable black bodied valox light available in both incandescent bulb or LED versions. The incandescent bulb version features a 920134 red shallow lens with a 920459 double contact shock stopper socket and a 1157 bulb. The LED version features a 710001 double contact shallow red LED lens assembly. A 920420 wire choke seal is installed in the rear of the lamp with 18" abrasion resistant lead wires. Surface mount.



PART NO.

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT

480012

Red, valox body

482012

Red, LED valox body



NOTE: Mounting instructions provided with all license lamps.


PART NO.
480013
483013

A tough durable black bodied valox light available in both incandescent bulb or LED versions. The incandescent bulb version features a 920141 red deep lens with a license window and a 920459 double contact shock stopper socket and a 1157 bulb. The LED version features a 710025 double contact deep Multi-voltage single diode red with a single diode white LED lens assembly. A 920420 wire choke seal is installed in the rear of the lamp with 18" abrasion resistant lead wires. Surface mount.

STOP, TURN, TAIL OR CLEARANCE AND LICENSE DOUBLE CONTACT

Red, valox body, stud mount

Red, Multi-voltage single diode LED, valox body




PART NO.
780013
780014

7" school bus warning lamp features polycarbonate shallow pillow block lens and black Valox body. Provided with a sealed beam bulb adapter 920070 that retains and offers a shock resistance for a par 46 sealed beam bulb 4636. Uses a 920154 red or 920155 amber lens. Mounting gasket and screws included. Recess mount.

WARNING

Red, valox body

Amber, valox body




PART NO.
780024
780025

7" school bus warning lamp features polycarbonate shallow pillow block lens and black Valox flangeless body. Provided with internal mounting holes. Sealed beam bulb adapter 920070 retains and offers shock resistance for a par 46 sealed beam bulb 4636. Uses 920154 red or 920155 amber lens. Mounting gasket, screws and 920443 retainer clips included. Surface mount.

WARNING

Red, valox body

Amber, valox body



PART NO.
225001
225002
225201
225202

A tough durable black bodied valox marker lamp available in both incandescent bulb and LED versions. The incandescent bulb version features either a 920058 red or a 920059 amber reflective lens and a 168 bulb. The LED version features a 221201 red or a 221202 amber LED reflective lens assembly. Both versions are supplied with a 920088 choke seal installed in the rear of the lamp with 6" black abrasion resistant lead wire. Ground wire and screw is also provided. Surface mount.


COMBINATION CLEARANCE & MARKER SINGLE CONTACT


Red, valox body

Amber, valox body

Red, LED valox body

Amber, LED valox body





PART NO.
780021

7" school bus lamp features polycarbonate shallow lens, black valox flangeless body and shock-mount bulb socket. Provided with internal mounting holes. Uses single contact bulb socket 920460 or double contact bulb socket 920459, single contact bulb 1156 or double contact bulb 1157, 920152 red, 920153 amber or 920151 clear lens. Has a 920420 choke seal with 18" abrasion resistant lead wire installed in rear. Mounting gasket and screws included. Surface mount.



PART NO.
780023


STOP OR TURN SINGLE CONTACT
Red, valox body

PART NO.
780017

SPECIAL PURPOSE SINGLE CONTACT
Clear, valox body

PART NO.
780030

STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT
Red, valox body



PART NO.
780027

TURN SINGLE CONTACT
Amber, valox body

PART NO.
780026

STOP OR TURN SINGLE CONTACT
Red, valox body

PART NO.
780028


STOP, TURN, TAIL OR CLEARANCE DOUBLE CONTACT
Red, valox body

PART NO.
780029

SPECIAL PURPOSE SINGLE CONTACT
Clear, valox body



See pages 68 & 69 for mounting brackets.




PART NO.
780018
780022

7" school bus lamp features polycarbonate shallow arrow lens and black valox flangeless body. Provided with internal mounting holes. Uses single contact shock-mount bulb socket 920460 with single contact bulb 1156, 920156 red or 920157 amber arrow lens. Has a 920420 choke seal with 18" abrasion resistant lead wire installed in rear. Mounting gasket and screws included. Surface mount.



TURN SINGLE CONTACT
Red (arrow), valox body
Amber (arrow), valox body




PART NO.
780019
780020


7" school bus lamp features polycarbonate shallow arrow lens and black valox body. Uses single contact shock-mount bulb socket 920460 with single contact bulb 1156 and 920156 red or 920157 amber arrow lens. Has a 920420 choke seal with 18" abrasion resistant lead wire installed in rear. Mounting gasket and screws included. Recess mount.



TURN SINGLE CONTACT
Red (arrow), valox body
Amber (arrow), valox body



Two lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt Multi-diode, or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.



PART NO. 2-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920327)

- 410013** Red left turn & red stop/tail
- 410015** Red right turn & red stop/tail
- 410029** Red left turn/clearance & red stop/tail
- 410031** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-DIODE LED

- 412029** Red left turn/clearance & red stop/tail
- 412031** Red right turn/clearance & red stop/tail
- 412067** Amber left turn & red stop/tail
- 412068** Amber right turn & red stop/tail

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413029** Red left turn/clearance & red stop/tail
- 413031** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP INCANDESCENT BULB, STEEL (frame part number 920328)

- 430011** Red left turn & red stop/tail
- 430013** Red right turn & red stop/tail
- 430027** Red left turn/clearance & red stop/tail
- 430029** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-DIODE LED

- 432027** Red left turn/clearance & red stop/tail
- 432029** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433027** Red left turn/clearance & red stop/tail
- 433029** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM

(frame part number 920329)

- 410014** Red left turn & red stop/tail, marker
- 410016** Red right turn & red stop/tail, marker
- 410030** Red left turn/clearance & red stop/tail, marker
- 410032** Red right turn/clearance & red stop/tail, marker

PART NO. 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412030** Red left turn/clearance, red stop/tail & marker
- 412032** Red right turn/clearance, red stop/tail & marker

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413030** Red left turn/clearance, red stop/tail & marker
- 413032** Red right turn/clearance, red stop/tail & marker

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL

(frame part number 920330)


- 430012** Red left turn & red stop/tail, marker
- 430014** Red right turn & red stop/tail, marker
- 430028** Red left turn/clearance & red stop/tail, marker
- 430030** Red right turn/clearance & red stop/tail, marker

PART NO. 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 432028** Red left turn/clearance, red stop/tail & marker
- 432030** Red right turn/clearance, red stop/tail & marker


PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433028** Red left turn/clearance, red stop/tail & marker
- 433030** Red right turn/clearance, red stop/tail & marker



Three lamp modules, completely sealed, with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt Multi-diode, or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens.

Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.



PART NO. 3-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920331)

- 410021** Red left turn & (2) red stop/tails
- 410023** Red right turn & (2) red stop/tails

PART NO. 3-LAMP MULTI-DIODE LED

- 412021** Red left turn/clearance & (2) red stop/tails
- 412023** Red right turn/clearance & (2) red stop/tails
- 412069** Amber left turn & (2) red stop/tails
- 412070** Amber right turn & (2) red stop/tails

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413021** Red left turn/clearance & (2) red stop/tails
- 413023** Red right turn/clearance & (2) red stop/tails

PART NO. 3-LAMP INCANDESCENT BULB, STEEL (frame part number 920332)

- 430019** Red left turn & (2) red stop/tails
- 430021** Red right turn & (2) red stop/tails

PART NO. 3-LAMP MULTI-DIODE LED

- 432019** Red left turn/clearance & (2) red stop/tails
- 432021** Red right turn/clearance & (2) red stop/tails

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433019** Red left turn/clearance & (2) red stop/tails
- 433021** Red right turn/clearance & (2) red stop/tails

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920333)

- 410022** Red left turn, (2) red stop/tails, & marker
- 410024** Red right turn, (2) red stop/tails, & marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412022** Red left turn/clearance, (2) red stop/tails & marker
- 412024** Red right turn/clearance, (2) red stop/tails & marker

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413022** Red left turn/clearance, (2) red stop/tails & marker
- 413024** Red right turn/clearance, (2) red stop/tails & marker

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920334)

- 430020** Red left turn, (2) red stop/tails, & marker
- 430022** Red right turn, (2) red stop/tails, & marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER


- 432020** Red left turn/clearance, (2) red stop/tails & marker
- 432022** Red right turn/clearance, (2) red stop/tails & marker

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433020** Red left turn/clearance, (2) red stop/tails & marker
- 433022** Red right turn/clearance, (2) red stop/tails & marker



Three lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Modules consist of (2) red lamps wired as single or double contact, a back up lamp and a side marker option. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt multi-diode, or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.



NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.

PART NO. 3-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920331)

- 410001** Red left turn, red stop/tail & back up
- 410003** Red right turn, red stop/tail & back up
- 410017** Red left turn/clearance, red stop/tail & back up
- 410019** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-DIODE LED

- 412017** Red left turn/clearance, red stop/tail & back up
- 412019** Red right turn/clearance, red stop/tail & back up
- 412065** Amber left turn, red stop/tail & back up
- 412066** Amber right turn, red stop/tail & back up

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413017** Red left turn/clearance, red stop/tail & back up
- 413019** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP INCANDESCENT BULB, STEEL (frame part number 920332)

- 430001** Red left turn, red stop/tail & back up
- 430003** Red right turn, red stop/tail & back up
- 430015** Red left turn/clearance, red stop/tail & back up
- 430017** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-DIODE LED

- 432015** Red left turn/clearance, red stop/tail & back up
- 432017** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433015** Red left turn/clearance, red stop/tail & back up
- 433017** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920333)

- 410002** Red left turn, red stop/tail, back up & marker
- 410004** Red right turn, red stop/tail, back up & marker
- 410018** Red left turn/clearance, red stop/tail, back up and marker
- 410020** Red right turn/clearance, red stop/tail, back up and marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412018** Red left turn/clearance, red stop/tail, back up & marker
- 412020** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413018** Red left turn/clearance, red stop/tail, back up & marker
- 413020** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920334)


- 430002** Red left turn, red stop/tail, back up & marker
- 430004** Red right turn, red stop/tail, back up & marker
- 430016** Red left turn/clearance, red stop/tail, back up & marker
- 430018** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 432016** Red left turn/clearance, red stop/tail, back up & marker
- 432018** Red right turn/clearance, red stop/tail, back up & marker




PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433016** Red left turn/clearance, red stop/tail, back up & marker
- 433018** Red right turn/clearance, red stop/tail, back up & marker



Two lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Modules consist of (2) red lamps wired as single or double contact, a junction box and a side marker option. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt multi-diode, or

Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.




- | | |
|-----------------|---|
| PART NO. | 2-LAMP INCANDESCENT BULB, ALUMINUM
(frame part number 920331) |
| 410009 | Red left turn, red stop/tail & junction box |
| 410011 | Red right turn, red stop/tail & junction box |
| 410025 | Red left turn/clearance, red stop/tail & junction box |
| 410027 | Red right turn/clearance, red stop/tail & junction box |
| PART NO. | 2-LAMP MULTI-DIODE LED |
| 412025 | Red left turn/clearance, red stop/tail & junction box |
| 412027 | Red right turn/clearance, red stop/tail & junction box |
| PART NO. | 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED |
| 413025 | Red left turn/clearance, red stop/tail & junction box |
| 413027 | Red right turn/clearance, red stop/tail & junction box |


-
- | | |
|-----------------|---|
| PART NO. | 2-LAMP INCANDESCENT BULB, STEEL (frame part number 920332) |
| 430009 | Red left turn, red stop/tail & junction box |
| 430010 | Red right turn, red stop/tail & junction box |
| 430023 | Red left turn/clearance, red stop/tail & junction box |
| 430025 | Red right turn/clearance, red stop/tail & junction box |
| PART NO. | 2-LAMP MULTI-DIODE LED |
| 432023 | Red left turn/clearance, red stop/tail & junction box |
| 432025 | Red right turn/clearance, red stop/tail & junction box |
| PART NO. | 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED |
| 433023 | Red left turn/clearance, red stop/tail & junction box |
| 433025 | Red right turn/clearance, red stop/tail & junction box |

-
- | | |
|-----------------|---|
| PART NO. | 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920333) |
| 410010 | Red left turn, red stop/tail, junction box & marker |
| 410012 | Red right turn, red stop/tail, junction box & marker |
| 410026 | Red left turn/clearance, red stop/tail, junction box & marker |
| 410028 | Red right turn/clearance, red stop/tail, junction box & marker |
| PART NO. | 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER |
| 412026 | Red left turn/clearance, red stop/tail, junction box & marker |
| 412028 | Red right turn/clearance, red stop/tail, junction box & marker |
| PART NO. | 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER |
| 413026 | Red left turn/clearance, red stop/tail, junction box & marker |
| 413028 | Red right turn/clearance, red stop/tail, junction box & marker |

-
- | | |
|-----------------|--|
| PART NO. | 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920334) |
| 430024 | Red left turn, red stop/tail, junction box & marker |
| 430026 | Red right turn, red stop/tail, junction box & marker |
| PART NO. | 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER |
| 432024 | Red left turn/clearance, red stop/tail, junction box & marker |
| 432026 | Red right turn/clearance, red stop/tail, junction box & marker |
| PART NO. | 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER |
| 433024 | Red left turn/clearance, red stop/tail, junction box & marker |
| 433026 | Red right turn/clearance, red stop/tail, junction box & marker |



Four lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Modules consist of (3) red lamps wired as single or double contact, a back up lamp and a side marker option. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt multi-diode, or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens.



NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.

PART NO. 4-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920335)

- 410005** Red left turn, (2) red stop/tails & back up
410007 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-DIODE LED

- 412005** Red left, (2) red stop/tails & back up
412007 Red right, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413005** Red left turn, (2) red stop/tails & back up
413007 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP INCANDESCENT BULB, STEEL (frame part number 920336)

- 430005** Red left turn, (2) red stop/tails & back up
430007 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-DIODE LED

- 432005** Red left turn, (2) red stop/tails & back up
432007 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433005** Red left turn, (2) red stop/tails & back up
433007 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920337)

- 410006** Red left turn, (2) red stop/tails, back up & marker
410008 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412006** Red left turn, (2) red stop/tails, back up & marker
412008 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413006** Red left turn, (2) red stop/tails, back up & marker
413008 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920338)


- 430006** Red left turn, (2) red stop/tails, back up & marker
430008 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 432006** Red left turn, (2) red stop/tails, back up & marker
432008 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433006** Red left turn, (2) red stop/tails, back up & marker
433008 Red right turn, (2) red stop/tails, back up & marker



Two and three lamp modules, completely sealed with no external splices. Modules come ready to install with 920420 choke seals for wire entrance. Lamp bodies are 40 series valox and are available in incandescent bulb, 12 volt multi-diode, or Multi-voltage single diode stop, turn or tail lamps.

NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.

NOTE: Stainless steel and aluminum frames available on request.

PART NO.

2-LAMP FLAT STEEL INCANDESCENT BULB

(frame part number 920339)

430031

Left turn & stop/tail

430032

Right turn & stop/tail

PART NO.

2-LAMP FLAT STEEL MULTI-DIODE LED

432031

Left turn & stop/tail

432032

Right turn & stop/tail

PART NO.

2-LAMP FLAT STEEL MULTI-VOLTAGE SINGLE DIODE LED

433031

Left turn & stop/tail

433032

Right turn & stop/tail

PART NO.

3-LAMP FLAT STEEL INCANDESCENT BULB (frame part number 920340)

430033

Left turn/clearance, stop/tail & back up

430034

Right turn/clearance, stop/tail & back up

PART NO.

3-LAMP FLAT STEEL MULTI-DIODE LED

432033

Left turn/clearance, stop/tail & back up

432034

Right turn/clearance, stop/tail & back up

PART NO.

3-LAMP FLAT STEEL MULTI-VOLTAGE SINGLE DIODE LED

433033

Left turn/clearance, stop/tail & back up

433034

Right turn/clearance, stop/tail & back up

PART NO.

2-LAMP ANGLE STEEL INCANDESCENT BULB

(frame part number 920342)

430037

Left turn & stop/tail

430038

Right turn & stop/tail

PART NO.

2-LAMP ANGLE STEEL MULTI-DIODE LED

432037

Left turn & stop/tail

432038

Right turn & stop/tail

PART NO.


2-LAMP ANGLE STEEL MULTI-VOLTAGE SINGLE DIODE LED

433037

Left turn & stop/tail

433038

Right turn & stop/tail



PART NO.

3-LAMP ANGLE STEEL INCANDESCENT BULB

(frame part number 920343)

430035

Left turn, stop/tail & back up

430036

Right turn, stop/tail & back up

PART NO.

3-LAMP ANGLE STEEL MULTI-DIODE LED

432035

Left turn, stop/tail & back up

432036

Right turn, stop/tail & back up

PART NO.




3-LAMP ANGLE STEEL MULTI-VOLTAGE SINGLE DIODE LED




433035

Left turn, stop/tail & back up

433036

Right turn, stop/tail & back up





Betts rear tractor modules feature 12 gauge powder coated angle steel frames. Modules are available in incandescent bulb, multi-diode LED, and Multi-voltage single diode LED's. Units are completely sealed from module to cab and include 14 ft. of either 4 or 5 conductor cable.


NOTE: Stainless steel and aluminum frames available on request.

NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.


PART NO.	2-LAMP ANGLE STEEL (frame part number 920345)
430079	(2) stop/tail/turn incandescent bulb
432079	(2) stop/tail/turn multi-diode LED
433079	(2) stop/tail/turn Multi-voltage single diode LED

PART NO.	3-LAMP ANGLE STEEL (frame only 920346)
430080	(2) stop/tail/turn & back up incandescent bulb
432080	(2) stop/tail/turn multi-diode LED
433080	(2) stop/tail/turn Multi-voltage single diode LED

PART NO.	3-LAMP ANGLE STEEL (frame part number 920347)
430082	(2) stop/tail/turn & license light incandescent bulb
432082	(2) stop/tail/turn multi-diode LED
433082	(2) stop/tail/turn Multi-voltage single diode LED



Two lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated mild steel with or without side marker.



Lamp bodies are 45 series valox and are available in incandescent bulb, 12 volt multi-diode, or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.

PART NO. 2-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920349)

- 410033** Red left turn & red stop/tail
- 410034** Red right turn & red stop/tail
- 410035** Red left turn/clearance & red stop/tail
- 410036** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-DIODE LED

- 412035** Red left turn/clearance & red stop/tail
- 412036** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413035** Red left turn/clearance & red stop/tail
- 413036** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP INCANDESCENT BULB, STEEL (frame part number 920350)

- 430039** Red left turn & red stop/tail
- 430040** Red right turn & red stop/tail
- 430041** Red left turn/clearance & red stop/tail
- 430042** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-DIODE LED

- 432041** Red left turn/clearance & red stop/tail
- 432042** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433041** Red left turn/clearance & red stop/tail
- 433042** Red right turn/clearance & red stop/tail

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920351)

- 410037** Red left turn & red stop/tail, marker
- 410038** Red right turn & red stop/tail, marker
- 410039** Red left turn/clearance & red stop/tail, marker
- 410040** Red right turn/clearance & red stop/tail, marker

PART NO. 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412039** Red left turn/clearance, red stop/tail & marker
- 412040** Red right turn/clearance, red stop/tail & marker

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413039** Red left turn/clearance, red stop/tail & marker
- 413040** Red right turn/clearance, red stop/tail & marker

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920352)


- 430043** Red left turn & red stop/tail, marker
- 430044** Red right turn & red stop/tail, marker
- 430045** Red left turn/clearance & red stop/tail, marker
- 430046** Red right turn/clearance & red stop/tail, marker

PART NO. 2-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 432045** Red left turn/clearance, red stop/tail & marker
- 432046** Red right turn/clearance, red stop/tail & marker

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433045** Red left turn/clearance, red stop/tail & marker
- 433046** Red right turn/clearance, red stop/tail & marker



Three lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready to install. Box frames are available in aluminum or powder coated

mild steel with or without side marker. Modules consist of (2) red lamps wired as single or double contact, a back up lamp and a side marker option. Lamp bodies are 45 series valox and are available in incandescent bulb, 12 volt multi-diode or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.

NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.



PART NO. 3-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920353)

- 410041** Red left turn, red stop/tail & back-up
- 410042** Red right turn, red stop/tail & back-up
- 410043** Red left turn/clearance, red stop/tail & back up
- 410044** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-DIODE LED

- 412043** Red left turn/clearance, red stop/tail & back up
- 412044** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413043** Red left turn/clearance, red stop/tail & back up
- 413044** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP INCANDESCENT BULB, STEEL (frame part number 920354)

- 430047** Red left turn, red stop/tail & back up
- 430048** Red right turn, red stop/tail & back up
- 430049** Red left turn/clearance, red stop/tail & back up
- 430050** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-DIODE LED

- 432049** Red left turn/clearance, red stop/tail & back up
- 432050** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433049** Red left turn/clearance, red stop/tail & back up
- 433050** Red right turn/clearance, red stop/tail & back up

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920355)

- 410045** Red left turn, red stop/tail, back up & marker
- 410046** Red right turn, red stop/tail, back up & marker
- 410047** Red left turn/clearance, red stop/tail, back up and marker
- 410048** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 412047** Red left turn/clearance, red stop/tail, back up & marker
- 412048** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413047** Red left turn/clearance, red stop/tail, back up & marker
- 413048** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920356)



- 430051** Red left turn, red stop/tail, back up & marker
- 430052** Red right turn, red stop/tail, back up & marker
- 430053** Red left turn/clearance, red stop/tail, back up & marker
- 430054** Red right turn/clearance, red stop/tail, back up & marker

PART NO. 3-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

- 432053** Red left turn/clearance, red stop/tail, back up & marker
- 432054** Red right turn/clearance, red stop/tail, back up & marker


PART NO. 3-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 433053** Red left turn/clearance, red stop/tail, back up & marker
- 433054** Red right turn/clearance, red stop/tail, back up & marker



Two lamp modules, completely sealed with no external splice and provided with a 920420 wire choke seal so they are ready

to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Modules consist of (2) red lamps wired as single or double contact, a junction box and a side marker option. Lamp bodies are 45 series valox and are available in incandescent bulb, 12 volt multi-diode or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens. Both LED versions come as a double contact but can be converted to a turn only function by dead heading the tail/clearance marker wire in the body.



PART NO. 2-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920353)

- 410049** Red left turn, red stop/tail & junction box
- 410050** Red right turn, red stop/tail & junction box
- 410051** Red left turn/clearance, red stop/tail & junction box
- 410052** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP MULTIDIODE LED

- 412051** Red left turn/clearance, red stop/tail & junction box
- 412052** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 413051** Red left turn/clearance, red stop/tail & junction box
- 413052** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP INCANDESCENT BULB, STEEL (frame part number 920354)

- 430055** Red left turn, red stop/tail & junction box
- 430056** Red right turn, red stop/tail & junction box
- 430057** Red left turn/clearance, red stop/tail & junction box
- 430058** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP MULTIDIODE LED

- 432057** Red left turn/clearance, red stop/tail & junction box
- 432058** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED

- 433057** Red left turn/clearance, red stop/tail & junction box
- 433058** Red right turn/clearance, red stop/tail & junction box

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920355)

- 410053** Red left turn, red stop/tail, junction box & marker
- 410054** Red right turn, red stop/tail, junction box & marker
- 410055** Red left turn/clearance, red stop/tail, junction box & marker
- 410056** Red right turn/clearance, red stop/tail, junction box & marker

PART NO. 2-LAMP MULTIDIODE LED WITH LED SIDE MARKER

- 412055** Red left turn/clearance, red stop/tail, junction box & marker
- 412056** Red right turn/clearance, red stop/tail, junction box & marker

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

- 413055** Red left turn/clearance, red stop/tail, junction box & marker
- 413056** Red right turn/clearance, red stop/tail, junction box & marker

PART NO. 2-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920356)


- 430061** Red left turn/clearance, red stop/tail, junction box & marker
- 430062** Red right turn/clearance, red stop/tail, junction box & marker

PART NO. 2-LAMP MULTIDIODE LED WITH LED SIDE MARKER

- 432061** Red left turn/clearance, red stop/tail, junction box & marker
- 432062** Red right turn/clearance, red stop/tail, junction box & marker

PART NO. 2-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER


- 433061** Red left turn/clearance, red stop/tail, junction box & marker
- 433062** Red right turn/clearance, red stop/tail, junction box & marker



Four lamp modules, completely sealed with no external splices and provided with a 920420 wire choke seal so they are ready

to install. Box frames are available in aluminum or powder coated mild steel with or without side marker. Modules consist of (3) red lamps wired as single or double contact, a back up lamp and side marker option. Lamp bodies are 45 series valox and are available in incandescent bulb, 12 volt multi-diode or Multi-voltage single diode stop, turn or tail lamps. Side markers are 12 volt incandescent bulb or 12 volt LED with a reflective lens.

NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.



PART NO. 4-LAMP INCANDESCENT BULB, ALUMINUM (frame part number 920357)

410061 Red left turn, (2) red stop/tail & back up
410062 Red right turn, (2) red stop/tail & back up

PART NO. 4-LAMP MULTI-DIODE LED

412061 Red left, (2) red stop/tails & back up
412062 Red right, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED

413061 Red left turn, (2) red stop/tails & back up
413062 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP INCANDESCENT BULB, STEEL (frame part number 920358)

430067 Red left turn, (2) red stop/tails & back up
430068 Red right turn, (2) red stop/tail & back up

PART NO. 4-LAMP MULTI-DIODE LED

432067 Red left turn, (2) red stop/tails & back up
432068 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED

433067 Red left turn, (2) red stop/tails & back up
433068 Red right turn, (2) red stop/tails & back up

PART NO. 4-LAMP INCANDESCENT BULB WITH SIDE MARKER, ALUMINUM (frame part number 920359)

410063 Red left turn, (2) red stop/tails, back up & marker
410064 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-DIODE LED WITH LED SIDE MARKER

412063 Red left turn, (2) red stop/tails, back up & marker
412064 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

413063 Red left turn, (2) red stop/tails, back up & marker
413064 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP INCANDESCENT BULB WITH SIDE MARKER, STEEL (frame part number 920360)




430069 Red left turn, (2) red stop/tail, back up & marker
430070 Red right turn, (2) red stop/tail, back up & marker

PART NO. 4-LAMP MULTI-DIODE LED WITH LED SIDE MARKER


432069 Red left turn, (2) red stop/tails, back up & marker
432070 Red right turn, (2) red stop/tails, back up & marker

PART NO. 4-LAMP MULTI-VOLTAGE SINGLE DIODE LED WITH LED SIDE MARKER

433069 Red left turn, (2) red stop/tails, back up & marker
433070 Red right turn, (2) red stop/tails, back up & marker



Two and three lamp modules, completely sealed with no external splices. Modules come ready to install with 920420 choke seals for wire entrance. Lamp bodies are 45 series valox and are available in incandescent bulb, 12 volt multi-diode or Multi-voltage single diode stop, turn or tail lamps.



NOTE: Back up lamps are incandescent bulb style. LED back up lamps are available on request.

NOTE: Stainless steel and aluminum frames available on request.

PART NO. 2-LAMP FLAT STEEL INCANDESCENT BULB (frame part number 920361)

- 430071** Left turn & stop/tail
- 430072** Right turn & stop/tail

PART NO. 2-LAMP FLAT STEEL MULTI-DIODE LED

- 432071** Left turn & stop/tail
- 432072** Right turn & stop/tail

PART NO. 2-LAMP FLAT STEEL MULTI-VOLTAGE SINGLE DIODE LED

- 433071** Left turn & stop/tail
- 433072** Right turn & stop/tail

PART NO. 3-LAMP FLAT STEEL INCANDESCENT BULB (frame part number 920362)

- 430073** Left turn/clearance, stop/tail & back up
- 430074** Right turn/clearance, stop/tail & back up

PART NO. 3-LAMP FLAT STEEL MULTI-DIODE LED

- 432073** Left turn/clearance, stop/tail & back up
- 432074** Right turn/clearance, stop/tail & back up

PART NO. 3-LAMP FLAT STEEL MULTI-VOLTAGE SINGLE DIODE LED

- 433073** Left turn/clearance, stop/tail & back up
- 433074** Right turn/clearance, stop/tail & back up

PART NO. 2-LAMP ANGLE STEEL INCANDESCENT BULB (frame part number 920096)

- 430075** Left turn & stop/tail
- 430076** Right turn & stop/tail

PART NO. 2-LAMP ANGLE STEEL MULTI-DIODE LED

- 432075** Left turn & stop/tail
- 432076** Right turn & stop/tail

PART NO. 2-LAMP ANGLE STEEL MULTI-VOLTAGE SINGLE DIODE LED

- 433075** Left turn & stop/tail
- 433076** Right turn & stop/tail

PART NO. 3-LAMP ANGLE STEEL INCANDESCENT BULB (frame part number 920097)

- 430077** Left turn, stop/tail & back up
- 430078** Right turn, stop/tail & back up

PART NO. 3-LAMP ANGLE STEEL MULTI-DIODE LED

- 432077** Left turn, stop/tail & back up
- 432078** Right turn, stop/tail & back up

PART NO. 3-LAMP ANGLE STEEL MULTI-VOLTAGE SINGLE DIODE LED


- 433077** Left turn, stop/tail & back up
- 433078** Right turn, stop/tail & back up

Betts OEM or field replacement modules are completely sealed with no external splices and are ready to install. All modules include a specified length of 4 conductor cable. Modules are only currently available in incandescent bulb.

PART NO. STAINLESS STEEL

435001 Street side module consists of a marker lamp, turn/tail/license, stop/tail/license. Module is provided with 7' of 4 conductor cable (red, white, yellow, brown) and a (4) hole mounting plate. Module has two reflectors and license plate mounting clips. Frame only part number is 920363.


435002 Curb side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 7' of 4 conductor cable (red, white, green, brown) and a (4) hole mounting plate. Module has two reflectors installed. Frame only part number is 920364.



PART NO. ALUMINUM

435003 Street side module consists of a marker lamp, turn/tail/license, stop/tail/license. Module is provided with 7' of 4 conductor cable (red, white, yellow, brown) and a (6) hole mounting plate. Module has license plate mounting clips installed. Frame only part number is 920365.


435004 Curb side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 7' of 4 conductor cable (red, white, green, brown) and a (6) hole mounting plate. Frame only part number is 920366.



PART NO. STAINLESS STEEL

435005 Street side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 10-1/2' of 4 conductor cable (red, white, green, brown) and (3) 1-14 x 15 mounting studs are welded to the bottom of the module for installation. Module has two reflectors installed. Frame only part number is 920590.


435006 Curb side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 10-1/2' of 4 conductor cable (red, white, green, brown) and (3) 1-14 x 15 mounting studs are welded to the bottom of the module for installation. Module has two reflectors installed. Frame only part number is 920591.



PART NO. STAINLESS STEEL

435009 Street side module consists of a marker lamp, turn/tail/license, stop/tail/license, stop/tail/license. Module is provided with 8' of 4 conductor cable (red, white, yellow, brown) and a (4) hole mounting channel. Module has three reflectors and license plate mounting clips. Frame only part number is 920595.

435010 Curb side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 8' of 4 conductor cable (red, white, green, brown) and a (4) hole mounting channel. Module has three reflectors installed. Frame only part number is 920596.



PART NO. ALUMINUM

435011 Street side module consists of a marker lamp, turn/tail/license, stop/tail/license. Module is provided with 8' of 4 conductor cable (red, white, yellow, brown) and a (4) hole mounting channel. Module has three reflectors and license plate mounting clips. Frame only part number is 920597.

435012 Curb side module consists of a marker lamp, turn/tail, stop/tail. Module is provided with 8' of 4 conductor cable (red, white, green, brown) and a (4) hole mounting channel. Module has three reflectors installed. Frame only part number is 920598.

Mounting Brackets




PART NO.

- 920089** 1 lamp, angle, 40 series - Steel painted gray
- 920481** 1 lamp, angle, 45 series - Aluminum
- 920482** 1 lamp, angle, 45 series - Stainless Steel
- 920486** 1 lamp, angle, 45 series - Steel painted black
- 920095** 1 lamp, angle, 45 series - Steel painted gray
- 920378** 1 lamp, angle, 56 series - Steel painted gray
- 920379** 1 lamp, angle, 56 series - Stainless Steel
- 920620** 1 lamp, angle, 56 series - Aluminum
- 920067** 1 lamp, angle, 65 series - Steel painted gray
- 920160** 1 lamp, angle, 77 series - Steel painted gray
- 920161** 1 lamp, angle, 77 series - Aluminum
- 920162** 1 lamp, angle, 77 series - Stainless Steel




PART NO.

- 920530** 1 lamp, angle, 73 series - Aluminum
- 920550** 1 lamp, angle, 73 series - Steel painted gray
- 920551** 1 lamp, angle, 73 series - Stainless Steel



PART NO.

- 920342** 2 lamp, angle, 40 series - Steel painted gray



PART NO.

- 920343** 3 lamp, angle, 40 series - Steel painted gray
- 920344** 3 lamp, angle, 40 series - Aluminum
- 920348** 3 lamp, angle, 40 series - Stainless Steel



PART NO.

- 920339** 2 lamp, flat, 40 series - Steel painted gray
- 920621** 2 lamp, flat, 40 series - Aluminum




PART NO.

- 920340** 3 lamp, flat, 40 series - Steel painted gray
- 920636** 3 lamp, flat, 40 series - Aluminum



PART NO.

- 920361** 2 lamp, flat, 45 series - Steel painted gray
- 920635** 2 lamp, flat, 45 series - Aluminum




PART NO.

- 920362** 3 lamp, flat, 45 series - Steel painted gray
- 920634** 3 lamp, flat, 45 series - Aluminum



PART NO.

- 920096** 2 lamp, angle, 45 series - Steel painted gray



PART NO.

- 920093** 3 lamp, angle, 45 series - Steel painted black
- 920097** 3 lamp, angle, 45 series - Steel painted gray
- 920099** 3 lamp, angle, 45 series - Aluminum

PART NO.

- 920068** 3 lamp, 65 series I.D. bracket - Aluminum
920069 3 lamp, 65 series I.D. bracket - Steel painted gray



PART NO.

- 920380** 3 lamp, 56 series I.D. bracket - Steel painted gray
920546 3 lamp, 56 series I.D. bracket - Stainless Steel



PART NO.

- 920029** Armor guard for 200 series lamps - Stainless Steel



PART NO.

- 920230** License plate bracket - Steel painted gray



PART NO.

- 920062** License plate bracket - Steel painted gray
920727 License plate bracket - Aluminum



PART NO.

- 920231** License plate holder - Aluminum
920232 License plate bracket - Stainless Steel



The ability to design and build custom lighting brackets or modules is a unique feature that Betts Industries is happy to offer to their customers. Several key steps need to be accomplished by the customer in order for our sales engineering department to finalize designs.

If the lighting kit is for an existing unit and you are looking for replacement lighting and wiring contact our sales engineering department with the type of vehicle and original manufacturer, we may have an existing module design available. If not our engineers will walk you through the steps needed to get us the information to design your bracket or module.

If the design is for a new vehicle or trailer then please follow the following steps prior to contacting our sales engineering department:

Identify the type of lighting requirements you will need to meet to comply with Federal DOT. This can be accomplished by reviewing the charts on pages 86 & 87. Once you have identified the requirements look at the various styles and types of lighting and brackets or lamp modules available in the catalog.


When this is accomplished and we currently offer no existing style or alternative that will work we will need the following information to finalize your bracket or module:

- Type of light used in the bracket or module.
- Function of light used in the bracket or module.
- Method of mounting the bracket or module, is it to be welded or bolted on.
- Size and design of the bracket or module, can it be open back or does it need to be enclosed.

Once all the steps have been accomplished contact our sales engineering department to finalize any requirements we will need to design and quote your bracket or module.



Betts circuit saver protects flasher circuits when extra lamp loads are used. It also extends switch life. Lamp loads of up to (24) 32 c.p. bulbs or 60 amps for both 4 and 7 wire 12 volt systems can be handled. Contains high quality Palladium relay contacts and has positive or negative ground. The Valox housing uses a clear 920143 shallow polycarbonate lens and is prewired with 12" pigtails. Mounting gasket, screws and wiring diagram are included. Surface mount.




PART NO. **FOR 12 VOLT SYSTEMS**
920065 Clear, Valox body (27018)

Flashers




A high capacity flasher that can flash a maximum lamp load and hold a constant flash rate regardless of voltage variations or number of lamps, plus, the actuator signal switch receives less than one amp. Other features include instant start and immunity to motor transient noise. 12" pigtail included. Wiring diagram included. Surface mount.



PART NO. **VAPOR PROOF FOR EXTERIOR USE**
920383 12 volt, 4 wire alternating flasher
920457 12 volt, 8 wire standard flasher

LED STROBE FLASH CONTROL

Solid state circuitry designed to operate multiple BriteNight LED lamps simultaneously in a quad strobe flash. Designed for 12 volt systems




PART NO.
920622 Strobe Flash control for interior applications.
920623 Epoxy sealed strobe flash control for exterior severe duty applications

NOTE: Control unit can be provided with Betts BriteNight LED's and harness system for custom applications

LED ALTERNATING QUAD FLASHER

Designed for installation in a Betts Dry Seal Junction Box. Comes with an incoming power, ground, left and right Power output leads



PART NO.
920629 Flasher, Alternating Quad, Plain
920736 Flasher, Alternating Quad Epoxy Sealed

Betts REMOTE Trailer Lighting Tester

One man remote lighting system tester

Checking trailer lighting systems has never been easier. Now, just one person can test all trailer lighting circuits fast and accurately. Just plug in the tester to trailer nose box and walk around the trailer and visually check each circuit as you select them on the hand held remote control. Stop, turn, tail and clearance/markers can be checked out in minutes. Any lamp or function not operating correctly can be noted for repair.

TESTING PROCEDURE

Before testing,
see note below


- 1 Connect 7 conductor cable to tester and to trailer nose box
- 2 Open receiver case and remove remote control transmitter
- 3 Move receiver toggle switch to its ON position. The power on, light emitting diode (L.E.D.) near the handle will illuminate. This L.E.D. also serves as a battery charge indicator
- 4 Press power button on the remote control transmitter unit to turn it on. The transmitter ON/OFF L.E.D. will light. The receiver L.E.D. in the slot on the face plate should also light, showing the signal is being received.
- 5 Close cover on receiver and secure
- 6 Check circuits by depressing the Index Button on the remote control transmitter. The unit will progress through each circuit. Continue until all circuits are tested. Note lamps or functions not working.
- 7 When testing is completed, turn off the receiver toggle switch and the Power ON/OFF transmitter button. Recharge if needed.

NOTE: A red dip switch is located in the slot on the receiver face plate. All of the white switches are inactive when the unit is purchased. To activate and override a particular function take a pencil, pen, or pointed object and move the required white switch to its opposite position. See label on face plate for switch function.

PART NO.	Complete
920485	
PART NO.	REPLACEMENTS
920507	Remote control transmitter
920508	AC battery charger
920509	14ft. 7 conductor cable with plugs



- Easy to Use
- Portable
- Compact
- Cuts Costs
- Fast & Accurate



A one man circuit checker for 7 way plugs. Simply plug checker into 7 way cable and bring into cab. Activate switches for all circuits, the light emitting diode will illuminate when circuit is in proper working order. Faulty wiring, shorts, etc. will be indicated if diodes are dimmer than usual, fail to light or if more than one diode is illuminated simultaneously.

PART NO.	Plug checker (TC2)
920273	

Certificate Holders




PART NO.

820012
820013
820014
820015
820016

This paper safe features polycarbonate shallow smoked lens 920142. It is available with or without a stainless steel retainer spring. Mounting screws included. Surface mount.


valox body with spring (PS-1)
 Aluminum body with spring (PS-1A)
 valox body without spring (PS-2)
 Black valox body with spring
 Black valox body without spring



PART NO.
920235

Maintenance paper holder for trucks and trailers. Unit is waterproof and ready to install. The tube is 9-1/2" long, has a 2" inside and a 2-3/8" outside diameter. Comes with (2) removable end caps attached to each other to prevent loss. Mounting bracket and hardware included.

Black (MPH-1)



Accessories



PART NO.
920624

LED ANTI-THEFT RINGS

Made of a bright finish 304 stainless steel material to mount over Betts 40 Series lamps using existing lamp mounting holes

LED Lens Retainer Ring for B40 Valox Lamps

PART NO.
920625

Made of a bright finish 304 stainless steel material to mount over Betts 56 Series lamps using existing lamp mounting holes


LED Lens Retainer Ring for B56 Valox Lamps



PART NO.
920602
920633

BACK UP ALARM

12 volt, 97 D.B.A. Self grounding
 12 volt, 97 D.B.A. External grounding



920602 Shown



PART NO.
920032

Cleans both male and female ends of all 7 way plug terminals. Rugged stainless steel brushes enclosed in a convenient to carry 6 1/2" long cylinder.

Plug Scrubber (18374)



PART NO.
920564

A roll of 50 clear film stickers

Excellent for lubricating wire or cable when pushing or pulling through rubber fittings. Also good for lubricating tubing barbs and inside of polyethylene tubing to expedite wire pulling.

PART NO.

920018 Wire pulling lubricant in (1) quart squeeze bottle (15-236)


920019 Wire pulling lubricant in vial (15-236-2X3)



Ideal for temporary installation of 2 flashing strobe units or one strobe and a spotlight unit. Fits all 12V lighter sockets.

PART NO.

920041 Double adapter unit for cigarette lighter (18943)



PART NO.

920026 Push button switch with pigtails - on or off

920030 Push button switch with terminal screws - momentary on



PART NO.

920038 Toggle switch with terminal screws - 20 amp

920039 Toggle switch with terminal screws - 20 amp with rubber boot

920077 Toggle switch with pigtails - 3 amp

920078 Toggle switch with pigtails - 3 amp with rubber boot



PART NO.

920028 Rubber boot for 920026 & 920030

920075 Rubber boot for 920077 switches and lamps purchased prior to 1/1/2010

920076 Rubber boot for 920077 and 920078 purchased after 1/1/2010



PART NO.

560052 Recessed mounting push button switch - on or off, valox body

560053 Recessed mounting push button switch - momentary on, valox body

570032 Surface mounting push button switch - on or off, valox body

570033 Surface mounting push button switch - momentary on, valox body





PART NO.

920628 Betts BriteNight LED Display Board comes equipped with its own power supply and is fully functional. It showcases many of the Betts LED line of lighting and their functions. Installed on the board are the 920624 and 920625 Anti-theft retainer rings and a functional 920622 LED Quad flasher. The double contact lamps are fully functional as turns also.

LED Assemblies



A high output Multi-voltage single LED assembly. Assemblies meet F.M.V.S.S. 108 compliance for stop/turn/tail or marker functions while operating within a voltage variance range from as little as 8 volts to as high as 44 volts without degrading the LED or circuitry. Assemblies all come as a double contact but can be wired internally to meet any functions needed.

PART NO. MULTI-VOLTAGE SINGLE DIODE ASSEMBLIES.

MID TURN/MARKER, ARROW TURN, AND REAR AMBER TURN

- 920688** Amber Multi-voltage single diode LED assembly for 77 series arrow lens lamps
- 920686** Amber Multi-voltage single diode LED assembly for 73 series lamps
- 920692** Clear Multi-voltage single diode LED assembly, for 73 series lamps

REAR AMBER, STOP, TURN, TAIL AND MARKER DOUBLE CONTACT

- 920680** Red Multi-voltage single diode LED assembly for 40, 45, 46, 47, and 48 series shallow lens valox body lamps
- 920681** Red Multi-voltage single diode LED assembly for 40, 45, and 47 series shallow lens aluminum body lamps
- 920685** Red Multi-voltage single diode LED assembly for 73 series lamps
- 920687** Red Multi-voltage single diode LED assembly for 77 series lamps

PART NO. BACK UP SINGLE CONTACT

- 920691** Clear Multi-voltage single diode LED assembly for 40, 45, 47 series shallow lens valox body lamps



20 SERIES

920053

Red

920054

Amber

920055

Silver

License

920101

Clear



50, 56, 57, 60 & 100 SERIES

920109

Red, shallow

920110

Amber

shallow

920682

Clear, shallow



920115

Clear, shallow



920112

Clear, deep
back-up
(51BU)

920113

Red, deep
license



920114

Amber, deep
with window

920111

Clear, deep



920116

Red, deep

920117

Amber, deep

920451

Blue, deep



65 SERIES

920227

Clear

920228

Red

920229

Amber



40, 45, 47, 70 & 80 SERIES

920133

Clear, shallow

920134

Red, shallow

920135

Amber, shallow



920139

Clear, shallow
back-up



920142

Smoked,
shallow

920143

Clear, shallow



920141

Red, deep
license



920144

Red, deep

920145

Amber, deep

920388

Blue, deep

920140

Clear, deep
dome



47 SERIES STROBE & BEACON High Hat Roof Mounts

920136

Red

920137

Amber

920138

Blue

920409

Clear

200 SERIES



920048

Clear

920049

Red

920050

Amber

200V SERIES



920057

Clear

920058

Red

920059

Amber

73 SERIES



920454

Red

920464

Amber

920497

Back-up

77 SERIES



920151

Clear

920152

Red

920153

Amber



920154

Red
(emerg., warning)

920155

Amber
(emerg., warning)




920156

Red, arrow turn

920157

Amber,
arrow turn



PART NO.

201201

201202

201203

201204

LED LENS INSERTS FOR 200 SERIES ALUMINUM LAMPS

Used in Betts low profile, aluminum body surface mount lamps that can be mounted horizontally or vertically. Features (4) light emitting diodes (LED's) in an epoxy sealed polycarbonate lens assembly.

Red, LED lens insert with (1) eyelet & (1) butt connector

Amber, LED lens insert with (1) eyelet & (1) butt connector

Red, LED lens insert with (2) butt connectors

Amber, LED lens insert with (2) butt connectors



PART NO.

221201

221202

221209

LED LENS INSERTS FOR 200 SERIES VALOX LAMPS

Used in Betts valox body surface mount lamps that can be mounted horizontally or vertically. Features (6) light emitting diodes (LED's) in an epoxy sealed REFLEX polycarbonate lens assembly.

Red, LED REFLEX lens insert with (2) eyelets

Amber, LED REFLEX lens insert with (2) eyelets

Clear, LED REFLEX lens insert with (2) eyelets



Shallow lens

PART NO.

510003

510004

510005

510006

510007

510008

LED SINGLE CONTACT LENS INSERTS FOR 50, 56, 57, & 60 SERIES ALUMINUM LAMPS

Used in Betts aluminum body surface and recessed mount lamps. Single contact lens features (4) light emitting diodes (LED's) in an epoxy sealed lens assembly. Available in both shallow and deep lenses.

Red, shallow LED lens insert with (2) butt connectors

Amber, shallow LED lens insert with (2) butt connectors

Red, shallow LED lens insert with (1) eyelet & (1) butt connector

Amber, shallow LED lens insert with (1) eyelet & (1) butt connector

Red, shallow LED lens insert with single contact bulb base

Amber, shallow LED lens insert with single contact bulb base



Deep lens

PART NO.

510013

510014

510015

510016

510017

510018

Red, deep LED lens insert with (2) butt connectors

Amber, deep LED lens insert with (2) butt connectors

Red, deep LED lens insert with (1) eyelet & (1) butt connector

Amber, deep LED lens insert with (1) eyelet & (1) butt connector

Red, deep LED lens insert with single contact bulb base

Amber, deep LED lens insert with single contact bulb base

NOTE: All lens assemblies with butt connectors are provided with heat shrink tubing that must be used to ensure warranty consideration.

LED SINGLE CONTACT LENS INSERTS FOR 56 SERIES VALOX LAMPS

Used in Betts valox body recessed mount lamps. Single contact lens features (4) light emitting diodes (LED's) in an epoxy sealed lens assembly. Available in both shallow and deep lenses.

PART NO.

510001

Red, shallow LED lens insert with (2) eyelets

510002

Amber, shallow LED lens insert with (2) eyelets

PART NO.

510011

Red, deep LED lens insert with (2) eyelets

510012

Amber, deep LED lens insert with (2) eyelets



LED SPECIAL PURPOSE DOUBLE CONTACT LENS INSERTS FOR 50, 56, 57, & 60 SERIES ALUMINUM LAMPS

Used in Betts aluminum body surface and recessed mount lamps. Double contact lens. It features a double contact lens with (4) light emitting diodes (LED's) on low power that increases to 12 LED's on high power in an epoxy sealed lens assembly. Available in both shallow and deep lenses.

PART NO.

510023

Red, shallow LED lens insert with (3) butt connectors

510024

Amber, shallow LED lens insert with (3) butt connectors

510025

Red, shallow LED lens insert with (1) eyelet & (2) butt connectors

510026

Amber, shallow LED lens insert with (1) eyelet & (2) butt connectors

510027

Red, shallow LED lens insert with double contact bulb base

510028

Amber, shallow LED lens insert with double contact bulb base

PART NO.

510033

Red, deep LED lens insert with (3) butt connectors

510034

Amber, deep LED lens insert with (3) butt connectors

510035

Red, deep LED lens insert with (1) eyelet & (2) butt connectors

510036

Amber, deep LED lens insert with (1) eyelet & (2) butt connectors

510037

Red, deep LED lens insert with double contact bulb base

510038

Amber, deep LED lens insert with double contact bulb base



LED SPECIAL PURPOSE DOUBLE CONTACT LENS INSERTS FOR 56 SERIES VALOX LAMPS

Used in Betts valox body recessed mount lamps. Double contact lens. It features a double contact lens with (4) light emitting diodes (LED's) on low power that increases to 12 LED's on high power in an epoxy sealed lens assembly. Available in both shallow and deep lenses.

PART NO.

510021

Red, shallow LED lens insert with (3) eyelets

510022

Amber, shallow LED lens insert with (3) eyelets

PART NO.

510031

Red, deep LED lens insert with (3) eyelets

510032

Amber, deep LED lens insert with (3) eyelets



LED LENS INSERTS FOR 40, 45, 47 AND 70 SERIES ALUMINUM LAMPS

Used in Betts aluminum body surface and recessed mount lamps. Double contact polycarbonate lens assembly features (60) light emitting diodes (LED's) on low power to provide tail or marker function that increase to high power output for stop or turn functions. Available in both shallow and deep lenses for 12, 24 or Multi-voltage.

PART NO.

710003

Red, shallow LED lens insert with (1) eyelet & (2) butt connectors, 12 volt

710004

Amber, shallow LED lens insert with (1) eyelet & (2) butt connectors, 12 volt

710007

Red, shallow LED lens insert with (1) eyelet & (2) butt connectors, 24 volt

710008


Amber, shallow LED lens insert with (1) eyelet & (2) butt connectors, 24 volt

710009

Red, shallow LED lens insert with double contact bulb base, 12 volt

710010

Amber, shallow LED lens insert with double contact bulb base, 12 volt




LED Retrofit Lens Assemblies



Deep lens

PART NO.

710013	Red, deep LED lens insert with (1) eyelet & (2) butt connectors
710014	Amber, deep LED lens insert with (1) eyelet & (2) butt connectors
710017	Red, deep LED lens insert with (1) eyelet & (2) butt connectors, 24 volt
710018	Amber, deep LED lens insert with (1) eyelet & (2) butt connectors, 24 volt
710019	Red, deep LED lens insert with double contact bulb base, 24 volt
710020	Amber, deep LED lens insert with double contact bulb base, 24 volt
710021	Red, deep LED lens insert with double contact bulb base, 12 volt
710022	Amber, deep LED lens insert with double contact bulb base, 12 volt
710023	Red, shallow LED lens insert with double contact bulb base, 24 volt
710024	Amber, shallow lens insert with double contact bulb base, 24 volt
710030	Red, deep license Multi-voltage single diode double contact with bulb base
710033	Red, deep Multi-voltage single diode double contact with bulb base
710036	Amber, deep Multi-voltage single diode double contact with bulb base




Shallow lens

LED LENS INSERTS FOR 40, 45, AND 47 SERIES VALOX LAMPS

Used in Betts valox body surface and recessed mount lamps. Double contact polycarbonate lens assembly features (60) light emitting diodes (LED's) on low power to provide tail or marker function that increase to high power output for stop or turn functions. Available in both shallow and deep lenses for 12 or 24 volt applications.

PART NO.

710001	Red, shallow LED lens insert with (3) eyelets
710002	Amber, shallow LED lens insert with (3) eyelets
710005	Red, shallow LED lens insert with (3) eyelets, 24 volt
710006	Amber, shallow LED lens insert with (3) eyelets, 24 volt



Shallow lens

PART NO.

710011	Red, deep LED lens insert with (3) eyelets
710012	Amber, deep LED lens insert (3) eyelets
710015	Red, deep LED lens insert with (3) eyelets, 24 volt
710016	Amber, deep LED lens insert with (3) eyelets, 24 volt
710025	Red, deep license Multi-voltage single diode LED
710038	Amber, shallow sequential arrow LED lens insert with (2) eyelets, Multi-voltage



Deep lens



Deep license lens

LED SINGLE CONTACT LENS INSERTS FOR 65 SERIES VALOX LAMPS

Used in Betts Valox body recessed mount lamps. Polycarbonate lens assembly features (3) light emitting diodes (LED's) in an epoxy sealed lens assembly. Available in shallow lens only.

PART NO.

660001	Red, LED lens insert with (2) eyelets
660002	Amber, LED lens insert with (2) eyelets
660003	Red, LED lens insert with (2) eyelets, 24 volt
660004	Amber, LED lens insert with (2) eyelets, 24 volt




PART NO.	SEALED BEAM BULBS
4411	Clear, flood, 12v, 2,500 cp, par 36
4415A	Amber, 12v, 7,000 cp, par 36
4416	Clear, spot, 12v, 35,000 cp, par 36
4416A	Amber, 12v, 25,000 cp, par 36
4466	Clear, flood, 12v, 1,000 cp, par 36
4505	Clear, spot, 24v, 45,000 cp, par 36
4593	Clear, flood, 24v, 1,500 cp, par 36
4636	Clear, signal, 12v, 90,000 cp, par 46
H7610	Clear, halogen flood, 12v, 5,200 cp, par 36
H7616	Clear, halogen spot, 12v, 70,000 cp, par 36

920775 LED par 36 Bulb, flood




Component Parts


PART NO.	REFLECTORS
920079	2-1/4" diameter, center mount, amber
920080	(C) 2-1/4" diameter, center mount, red (310720)
920081	(B) 3-1/4" diameter, center mount, amber (313370)
920082	3-1/4" diameter, center mount, red (313320)
920083	1-7/8" x 4-3/8" oval, mounting holes on 3.94" centers, red (314020)
920084	(A) 1-7/8" x 4-3/8" oval, mounting holes on 3.94" centers, amber (314010)



PART NO.	O-RINGS
920051	200 series (202)
920056	20 series (22)
920060	200V series (222)
920118	50, 56, 57, 60, 100 series (52)
920146	40, 45, 47, 70, 80, PS series (72), 73
920158	77 series (772)
920248	65 series (OR5)
920600	4 x 8 junction box o-ring for new style cover



PART NO.	GASKETS-MOUNTING
920016	100 series (109)
920023	7 way socket (17705CF)
920024	6 way socket (17706CF)
920031	45 stud mount series (18336CF)
920052	200 series (209)
920073	(D) 20 series (29)
920086	(E) 315 and 325 series (39)
920094	45 series (459)
920106	(C) BD56J series (49)
920128	50 & 57 series (59)
920132	(B) 56 & 60 series (69)
920159	77 series (79)
920165	(A) 40, 47 Valox & 70 series (79)
920408	77 series flangeless (778LF)
920503	40 series black sponge for nose boxes





PART NO.

920013

SHOCK-MOUNT SOCKETS

(A) Double contact for shallow lens (108LS)

920015

Single contact for shallow lens (108S)

920103

(B) Double contact for deep lens (48LS)

920104


Single contact for deep lens 56 & 57 series lamps (48S with stilts (48LT))

920367

Single contact for 56 & 57 series lamps with shallow lens (48S)

SHOCK-STOPPER BULB SOCKETS

Upgrades many existing lamps including Betts models 40, 45, 47, & 77




PART NO.

920459

(C) Double contact

920460

Single contact



PART NO.

OTHER SOCKETS

920012

(A) Single contact for 200 series lamps (108)

920014

(C) Single contact for PS-1D lamp (108-PS-1D)

920125


(B) Single contact for 50, 60 & 70 series lamps with shallow lens (58)

920126

Double contact for 50 & 70 series lamps with shallow lens (58L)

920127

Single contact for 50 series lamps with deep lens (58LT)



PART NO.

PIGTAILS, CONTACTS & GROMMETS

920119

(F) 6" brown wire with single contact button (55)

920120

Button only, single contact, for 14 & 16 ga. wire (55A)

920121

Button only, single contact, for 12 ga. wire (55A-12)

920122

6" white ground wire with spade and eyelet (55GW)

920123

(D) Socket grommet, single contact (56)

920124

(C) Pigtail, complete, single contact (package of 12)

920147

(A) Button & wire, double contact (package of 12 red & 12 brown)

920148

Button only, double contact, for 14 & 16 ga. wire (75A)

920149

(B) Socket grommet, double contact (76)

920150

(E) Pigtail, complete, double contact (package of 12 red & 12 brown button & wires with 12 grommets)

920370

18" blue pigtail with spade connector for "F" series lamps (46LW-BLU)

920377

18" white pigtail with spade connector for "F" series lamps (46LW-WHT)

920381

18" blue pigtail with single contact button and grommet



PART NO. GROMMETS

- 920011** Body grommet (106BG)
- 920070** Sealed beam retaining ring, par 46 (27212EP)
- 920071** (E) Extended sealed beam retaining ring with 920143 shallow clear lens, par 36 (27231EP-A)
- 920222** (A) Wire guard for BSXL wire-3/16" I.D., 5/16" hole req., 3/16" wall (G-2752)
- 920223** (B) Wire guard for Betts 3 & 4 cond. cable-7/16" I.D., 11/16" hole req., 3/16" wall (G-2760)
- 920224** (C) Wire guard for Betts 2 cond. cable-5/16" I.D., 9/16" hole req., 1/8" wall (G-2856)
- 920225** Grommet seal for S200 & S200-2 (GR5)
- 920234** (F) Sealed beam retaining ring, par 36 (MG4)
- 920399** (D) Wire guard for Betts 5, 6 & 7 cond. cable-3/4" I.D., 1-1/16" hole req., 3/16" wall (G-2767)
- 920734** (G) LED par 36 grommet

PART NO. PEDESTAL MOUNT LAMP COMPONENTS (80, 81, 805 SERIES)

- 4411** Sealed beam, clear, flood, 12v, 2,500 cp, par 36 (805)
- 4415A** Sealed beam, amber, 12v, 7,000 cp, par 36 (805)
- 4416** Sealed beam, clear, spot, 12v, 35,000 cp, par 36 (805)
- 4416A** Sealed beam, clear, spot, 12v, 25,000 cp, par 36 (805)
- 4466** Sealed beam, clear, flood, 12v, 1,000 cp, par 36 (805)
- 4505** Sealed beam, clear, spot, 24v, 45,000 cp, par 36 (805)
- 4593** Sealed beam, clear, flood, 24v, 1,500 cp, par 36 (805)
- H7610** Sealed beam, clear, halogen flood, 12v, 5,200 cp, par 36 (805)
- H7616** Sealed beam, clear, halogen spot, 12v, 70,000 cp, par 36 (805)
- 920013** Socket, double contact (80 & 81)
- 920015** Socket, single contact (80 & 81)
- 920034** Carriage bolt (805)
- 920039** Switch, 20 amp toggle with boot (805)
- 920071** Extended sealed beam retaining ring with 920143 lens (805)
- 920076** Rubber boot for 20 amp toggle switch (805)
- 920166** Washer, lock (80)
- 920167** Nut, lock (80)
- 920168** Washer, flat (80)
- 920171** Cap screw, 1/4" - 20 x 1/2" (805)
- 920173** Nut, hex head, 9/16" (805)
- 920174** Washer, flat, 9/16" (805)
- 920234** Sealed beam retaining ring, par 36 (805)
- 920370** 18" blue lead wire with spade connector (805)
- 920377** 18" white lead wire with spade connector (805)
- 920398** Stud, 9/16" (81)
- 920630** Mounting bracket, aluminum, painted gray (920033)






PART NO.

CABLE ENTRANCE FITTINGS


- 920210** Aluminum 3/8" N.P.T., cable O.D. range .125-.187 (CE-1)
920211 Aluminum 3/8" N.P.T., cable O.D. range .187-.312 (CE-2)
920212 (B) Aluminum 1/2" N.P.T., elbow fitting, cable O.D. range .500-.562 (CE-690-1/2)
920213 Aluminum 3/4" N.P.T., elbow fitting, cable O.D. range .500-.625 (CE-690-3/4)
920214 Aluminum 1/2" N.P.T., cable O.D. range .310-.560 (CEA3-5)
920215 (A) Aluminum 3/4" N.P.T., cable O.D. range .500-.750 (CEA6-7)
920216 Plastic 1/2" N.P.T., cable O.D. range .125-.375 (CEP1-2)
920217 Plastic 1/2" N.P.T., cable O.D. range .310-.560 (CEP3-5)
920218 (C) Plastic 3/4" N.P.T., cable O.D. range .500-.750 (CEP6-7)
920402 Plastic 1/2" N.P.T., cable O.D. range .500-.750 (CEP6-7x1/2)



PART NO.

CHOKE SEALS

- 920043** (E) One hole, 1/8" N.P.T., for wire (1RP)
920044 (A) One hole, 3/8" N.P.T., for Betts 3 & 4 cond. cable (1RPL)
920045 (B) One hole, 1/4" N.P.T., for Betts 2 cond. cable (1RPS)
920046 One hole, 3/8" N.P.T., for Betts 2 cond. cable (1RPS-1)
920088 (D) Three hole, 1/4" N.P.T., for wire (3RP)
920107 (C) Four hole, 3/8" N.P.T., for wire (4RP)
920413 (F) Push-In choke seal (see page 2)
920420 (G) Push-In choke seal (see page 2)



PART NO.

CHOKE SEAL TUBE FITTINGS


- 920047** (C) One hole tube fitting for wire (1TP)
920108 (B) Four hole tube fitting for wire (4TP)
920129 (A) Five hole tube fitting for wire (5TP)



PART NO.

NOSE BOX & SWITCH COVERS


- 920061** (B) Nose box cover only for circuit breaker style (26664-AL)
920063 (C) Cover only for recessed switches (26742-AL)
920064 (A) Nose box cover only for 6 or 7 way sockets (26779-AL) with "O" ring Snap-Seal feature
920555 Nose box cover only for ABS sockets (Yellow)
920565 Nose box cover, bolted style w/o "O" ring Snap-Seal feature



PART NO.

PLUGS

- 920422** Plug - 6 pole, aluminum
920424 (A) Plug - 7 pole, aluminum with guard
920425 (B) Plug - 7 pole, aluminum



PART NO.

SOCKETS

- 920423** Socket - 6 pole aluminum with split pins
920426 (A) Socket - 7 pole nonmetallic, w/20 amp circuit breakers and solid pins
920427 (B) Socket - 7 pole nonmetallic, with split pins
920466 Socket - 7 pole nonmetallic, with solid pins
920589 Socket - 7 pole aluminum, with 20 amp circuit breakers and split pins

PART NO.

920209 Circuit bridge (CB1)


PART NO.

920221 Exhaust vent (EV1)


PART NO.

920245 Closed top tube clip for 1/2" I.D. tubing (NB10CTC)

920246 Closed top tube clip for 1/4" I.D. tubing (NB6CTC)

920247 Closed top tube clip for 3/8" I.D. tubing (NB8CTC)


PART NO.
NYLON TEES (MALE BRANCH)

920237 3/8" barbs x 1/4" N.P.T. (N6MTB-4)

920238 3/8" barbs x 3/8" N.P.T. (N6MTB-6)

920241 1/2" barbs x 1/4" N.P.T. (N8MTB-4)

920242 1/2" barbs x 3/8" N.P.T. (N8MTB-6)

920243 1/2" barbs x 1/2" N.P.T. (N8MTB-8)


PART NO.
NYLON TEE UNIONS

920239 3/8" barbs (N6TUB-6)

920244 1/2" barbs (N8TUB-8)


PART NO.
NYLON ELBOW UNIONS

920236 3/8" barbs (N6EUB-6)

920240 1/2" barbs (N8EUB-8)


PART NO.
NYLON "Y" FITTINGS

920130 3/8" x 3/8" x 3/8" barbs (64106)

920131 1/2" x 1/2" x 1/2" barbs (64107)


PART NO.
NYLON PIPE TO BARB FITTINGS/STRAIGHT

920298 1/4" barb x 3/8" N.P.T. (TN-21)

920299 1/4" barb x 1/4" N.P.T. (TN-22)

920300 1/4" barb x 1/4" N.P.T. with seal (TN-22P)

920301 1/4" barb x 3/8" N.P.T. (TN-23)

920302 1/4" barb x 3/8" N.P.T. with seal (TN-23P)

920303 1/4" barb x 1/2" N.P.T. (TN-24)

920304 1/4" barb x 1/2" N.P.T. with seal (TN-24P)

920305 5/16" barb x 1/4" N.P.T. (TN-252)

920306 3/8" barb x 1/8" N.P.T. (TN-31)

920307 3/8" barb x 1/4" N.P.T. (TN-32)

920308 3/8" barb x 1/4" N.P.T. with seal (TN-32P)

920309 3/8" barb x 3/8" N.P.T. (TN-33)

920310 3/8" barb x 3/8" N.P.T. with seal (TN-33P)

920311 3/8" barb x 1/2" N.P.T. (TN-34)

920312 3/8" barb x 1/2" N.P.T. with seal (TN-34P)

920313 1/2" barb x 1/8" N.P.T. (TN-41)

920314 1/2" barb x 1/4" N.P.T. (TN-42)

920315 1/2" barb x 1/4" N.P.T. with seal (TN-42P)



CONTINUED ON NEXT PAGE

920316	1/2" barb x 3/8" N.P.T. (TN-43)
920317	1/2" barb x 3/8" N.P.T. with seal (TN-43P)
920318	1/2" barb x 1/2" N.P.T. (TN-44)
920319	1/2" barb x 1/2" N.P.T. with seal (TN-44P)
920320	1/2" barb x 3/4" N.P.T. (TN-46)
920321	5/8" barb x 3/8" N.P.T. (TN-53)
920322	5/8" barb x 1/2" N.P.T. (TN-54)
920323	5/8" barb x 3/4" N.P.T. (TN-56)
920324	3/4" barb x 1/2" N.P.T. (TN-64)
920325	3/4" barb x 3/4" N.P.T. (TN-66)
920326	1" barb x 3/4" N.P.T. with heat shrink tubing (TN-86S)

PART NO. NYLON PIPE TO BARB FITTINGS/ELBOW

920275	3/8" barb x 1/8" N.P.T. (TLS-31)
920276	3/8" barb x 1/4" N.P.T. (TLS-32)
920277	3/8" barb x 1/4" N.P.T. with seal (TLS-32P)
920278	3/8" barb x 3/8" N.P.T. (TLS-33)
920279	3/8" barb x 3/8" N.P.T. with seal (TLS-33P)
920280	3/8" barb x 1/2" N.P.T. (TLS-34)
920281	3/8" barb x 1/2" N.P.T. with seal (TLS-34P)
920282	1/2" barb x 1/4" N.P.T. (TLS-42)
920283	1/2" barb x 1/4" N.P.T. with seal (TLS-42P)
920284	1/2" barb x 3/8" N.P.T. (TLS-43)
920285	1/2" barb x 3/8" N.P.T. with seal (TLS-43P)
920286	1/2" barb x 1/2" N.P.T. (TLS-44)
920287	1/2" barb x 1/2" N.P.T. with seal (TLS-44P)



920288	1/2" barb x 3/4" N.P.T. (TLS-46)
920289	5/8" barb x 3/8" N.P.T. (TLS-53)
920290	5/8" barb x 1/2" N.P.T. (TLS-54)
920488	1" barb x 3/4" N.P.T. (TLS-86)

PART NO. NYLON HOSE MENDERS

920291	1/4" barbs (TM-2)
920292	5/16" barbs (TM-25)
920293	3/8" barbs (TM-3)
920294	1/2" barbs (TM-4)
920295	5/8" barbs (TM-5)



920296	3/4" barbs (TM-6)
920297	1" barbs (TM-8)

PART NO. PINCH ON HOSE & TUBING CLAMPS

920249	1" to 1-1/16" (P-1075)
920253	15/16" to 1/2" (P-505) for 1/2" O.D. tubing
920254	1/2" to 17/32" (P-545)
920255	17/32" to 9/16" (P-590)
920256	19/32" to 5/8" (P-635)
920257	5/8" to 21/32" (P-680) for 5/8" O.D. tubing



920258	21/32" to 23/32" (P-725)
920259	23/32" to 3/4" (P-775)
920260	3/4" to 13/16" (P-825)

PART NO. POLYETHYLENE INSTRUMENT GRADE TUBING

920390	1/4" I.D. x 3/8" O.D. - 100' spool (PB-64)
920391	1/4" I.D. x 3/8" O.D. - 500' spool (PB-64)
920392	3/8" I.D. x 1/2" O.D. - 100' spool (PB-86)
920393	3/8" I.D. x 1/2" O.D. - 500' spool (PB-86)
920394	1/2" I.D. x 5/8" O.D. - 100' spool (PB-108)



NOTE: Cable, wire and tubing will expand and contract 2 inches per trailer length.

PART NO. CROSSLINK POLYETHYLENE PRIMARY WIRE, 500 FT. SPOOLS

10 GAUGE		14 GAUGE	
920196	Black	920202	Black
920197	Red	920203	Blue
920198	White	920204	Brown
12 GAUGE		920205	Green
920199	Black	920206	Red
920200	Red	920207	White
920201	White	920208	Yellow

WIRE & CABLE

NOTE: Cable, wire and tubing will expand and contract 2 inches per trailer length.



PART NO. 2-CONDUCTOR CABLE W/.295 O.D. 14 GA.

920179	8' (Brown/White)	920403	4500' (Brown/White)
920180	12' (Brown/White)	920567	100' (Blue/White)
920181	20' (Brown/White)	920584	4500' (Blue/White)
920182	50' (Brown/White)	920617	300' (Blue/White)
920183	100' (Brown/White)		
920184	300' (Brown/White)		
920371	1000' (Brown/White)		

CABLE

NOTE: 105° Celsius temperature rating on all cable.



PART NO. 3-CONDUCTOR CABLE W/.375 O.D. 14 GA. RED, BROWN & WHITE

920185	8'	920190	100'
920187	20'	920191	300'
920188	30'	920372	1000'
920189	50'	920404	2500'



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, YEL/GRN, 12 GA. WHT.

920192	100'
920373	2500'
920470	1000'



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, YEL, 12 GA. WHT.

920587	2500'
--------	-------



PART NO. 4-COND. CABLE W/.375 O.D. 14 GA. RED, BRN, GRN, 12 GA. WHT.

920588	2500'
--------	-------



PART NO. 5-COND. CABLE W/.520 O.D. 12 GA. RED, YEL, BRN, GRN, 10 GA. WHT.

920193	100'
920374	1000'



PART NO. 6-COND. CABLE W/.590 O.D. 12 GA. BLK, BRN, GRN, RED, YEL, 10 GA. WHT.

920194	100'
920375	1000'



PART NO. 7-COND. CABLE W/.690 O.D. 12 GA. BLK, BRN, GRN, RED, YEL, BLU, 10 GA. WHT.

920195	100'
920376	1000'



PART NO. 7-COND. ABS CABLE W/.690 O.D. 12 GA. BLK, BRN, GRN & YEL, 10 GA. BLUE & RED, WITH 8 GA. WHITE (GREEN OUTER JACKET)

920581	50'
920582	100'
920583	1000'



PLUG HARNESS

FOR USE WITH PLUG & SEAL LIGHTING



PART NO. 2 CONDUCTOR

- 920430** Male plug 18" length (Brn, Wht)
- 920467** Male plug 8' length (Brn, Wht)
- 920476** Male plug 15' length (Brn, Wht)
- 920527** Male plug 20' length (Blu, Wht)

- 920431** Female plug 18" length (Brn, Wht)
- 920468** Female plug 8' length (Brn, Wht)
- 920475** Female plug 15' length (Brn, Wht)



PART NO. 3 CONDUCTOR RED, BROWN, WHITE

- 920469** Female plug 8" length



PART NO. 4 CONDUCTOR

- 920533** Male plug 18" length (Rd, Wht, Brn, Grn)
- 920542** Male plug 18" length (Rd, Wht, Brn, Yel)
- 920548** Male plug 10' length (Rd, Wht, Brn, Grn)
- 920549** Male plug 10' length (Rd, Wht, Brn, Yel)
- 920569** Male plug 20' length (Rd, Wht, Brn, Yel)
- 920579** Male plug 20' length (Rd, Wht, Brn, Grn)

- 920534** Female plug 18" length (Rd, Wht, Brn, Grn)
- 920535** Female plug 10' length (Rd, Wht, Brn, Grn)
- 920543** Female plug 18" length (Rd, Wht, Brn, Yel)
- 920547** Female plug 10' length (Rd, Wht, Brn, Yel)



PART NO. 6 CONDUCTOR Red, White, Brown, Black, Green, Yellow

- 920492** Male plug 18" length
- 920494** Male plug 10' length

- 920491** Female plug 18" length
- 920493** Female plug 10' length



PART NO. JUMPERS: w/male & female plugs

- 920439** 2 conductor, 6" length
- 920562** 2 conductor, 24" length
- 920612** 2 conductor, 12" length

- 920441** 4 conductor, 6" length
- 920610** 4 conductor, 24" length
- 920611** 4 conductor, 12" length




PART NO. SEALER PLUG

- 920495** 2 conductor, male
- 920580** 4 conductor, male



PART NO. SHRINK TUBING 4" LENGTH

- 920446** .75 diameter
- 920447** 1.10 diameter



The ability to design and build customer lighting kits by incorporating our existing lighting products and wiring harnesses is a unique feature that Betts Industries is happy to offer their customers. Several key steps need to be predetermined by the customer in order for our Sales Engineering Department to finalize designs.


If the lighting kit is for an existing unit and you are looking for replacement lighting and wiring, contact our Sales Engineering Department with the type of vehicle and original manufacturer. We may have an existing kit design available. If not, our engineers will walk you through the steps needed to get us the information to design your kit.

If the design is for a new vehicle or trailer, then please follow these steps prior to contacting our Sales Engineering Department:


1. Identify the type of lighting requirements you will need to comply with Federal DOT. This can be accomplished by reviewing the charts on Pages 86 & 87. Once the requirements are identified, note the various styles and types of lighting available in the catalog. Please note the mounting requirements for surface or recessed lamps to insure they will fit into the frame or channel you are utilizing.
2. When this is completed, please review the attached sketch. It numbers various lamps that may or may not be needed to meet DOT requirements. Identify which lamps you intend to use and the function of the lamp -- is it a stop and tail, a turn and tail, or a stop, turn and tail? If the lamp is in the middle of the trailer, is it a marker only or a marker and turn? Are work lights or back up lights required or needed?
3. The final step is to provide an estimated length of cables and plugs you will need between the lamps and the junction box. Once this has been accomplished, call our Sales Engineering Department for assistance and for any final information needed to complete your kit.

BULB AND SEALED BEAM SPECIFICATIONS

PAR 46
Fig. 9



PAR 36
Fig. 8



SEALED BEAM

Fig. 1





Fig. 2



WEDGE BASE

Fig. 3




Fig. 4




Fig. 5




Fig. 6





Fig. 7



BAYONET BASE

BULB NUMBER	FIGURE #	DESIGN VOLTAGE	DESIGN AMPS	CANDLE-POWER	LIFE IN HOURS	DESIGN WATTS	BEAM CANDLE-POWER	APPROX. BEAM PATTERN	BEAM TYPE	NOTES
67	4	13.5	0.59	4	5,000	8		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #97 BULB
68	3	13.5	0.59	4	5,000	8		360 Deg.	SPHERICAL	BASE IS DOUBLE CONTACT NON-INDEXING
168	1	14.0	0.35	3	1,500	5		360 Deg.	SPHERICAL	
464	1	28.0	0.17	3	1,500	5		360 Deg.	SPHERICAL	
795	7	12.8	3.90	108	200	37.5		360 Deg.	SPHERICAL	HALOGEN BULB VERY HIGH TEMP.
904	2	13.5	0.68	4	5,000	9		360 Deg.	SPHERICAL	
1141	5	12.8	1.44	21	1,000	18.5		360 Deg.	SPHERICAL	
1156	5	12.8	2.10	32	1,200	27		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #199 BULB
1157	6	12.8/14.0	2.1/5.9	32/3	1,200/5,000	27/8		360 Deg.	SPHERICAL	HEAVY DUTY VERSION IS A #196 BULB
1251	4	28.0	0.23	3	1,000	6.5		360 Deg.	SPHERICAL	
1252	3	28.0	0.23	3	1,000	6.5		360 Deg.	SPHERICAL	BASE IS DOUBLE CONTACT NON-INDEXING
1662	6	28/28	93/34	32/6	400/1,000	26/11		360 Deg.	SPHERICAL	
1665	5	28.0	0.80	21	1,000	22.5		360 Deg.	SPHERICAL	
1683	5	28.0	1.02	32	500	28.3		360 Deg.	SPHERICAL	

SEALED BEAM LAMPS

BULB NUMBER	FIGURE #	DESIGN VOLTAGE	DESIGN AMPS	CANDLE POWER	LIFE IN HOURS	DESIGN WATTS	BEAM CANDLE POWER	APPROX. BEAM PATTERN	BEAM TYPE	NOTES
H7610	8	12.8	3.90		400	50	5,200	30X25 Deg.	TRAPEZOIDAL	HALOGEN WORK LAMP
H7616	8	12.8	2.93		300	37.5	70,000	7X4 Deg.	RECTANGULAR	HALOGEN SPOT LAMP
4411	8	12.8	2.75		300	35	2,500	30X25 Deg.	TRAPEZOIDAL	WORK LAMP
4415A	8	12.8	2.75		300	35	7,000	40X5 Deg.	RECTANGULAR	LAMP-YELLOW LENS
4416	8	12.8	2.35		300	30	35,000	11X4 Deg.	RECTANGULAR	SPOT OR SIGNAL LAMP
4416A	8	12.8	2.35		300	30	25,000	11X4 Deg.	TRAPEZOIDAL	SIGNAL LAMP, YELLOW LENS COVER
4461	8	12.8	4.69		300	60	6,000	30X25 Deg.	TRAPEZOIDAL	WORK LAMP
4466	8	12.8	4.69		400	60	1,000	80X30 Deg.	RECTANGULAR	FLOOD LAMP
4505	8	28.0	1.79		400	50	45,000	11X5 Deg.	RECTANGULAR	AIRCRAFT NAVIGATION LAMP
4593	8	28.0	1.79		400	50	1,500	80X30 Deg.	RECTANGULAR	AIRCRAFT FLOOD LAMP
4636	9	14.0	6.00		200	80	90,000	9X7.5 Deg.	RECTANGULAR	SIGNAL LAMP

Betts Lighting Product Warranties

Betts Industries Inc (Seller) will repair or replace any of its products found in the reasonable judgment of the Seller to be defective in workmanship or materials if the defect is reported to the Seller within one (1) year of shipment from the Seller's plant. Seller will not be liable for transportation or shipping expenses, labor, loss of profit from use, nor for incidental or consequential damages of any kind. This warranty shall be void if Sellers products are subjected to misapplication, misuse, neglect, alteration, improper installation or damage.

Betts Industries Inc extends a **Limited Lifetime Warranty** to the original purchaser that the Betts BriteNight, LightRanger and other LED lighting are free from defects in workmanship and/or materials only. Betts will replace any LED lamp to the original consumer/purchaser if the lamp fails due to defects in workmanship and/or materials only. This warranty does not apply to severe applications such as buses, construction equipment and off road vehicles or equipment. These applications are examples only and not all inclusive of each excluded application.

This limited lifetime warranty is based on the life of the lamp as follows:

1 year, 100% replacement for failure of workmanship or materials only in normal applications.

3 year, 100% replacement for failure of workmanship or materials only when combined in the Betts "Supertanker" package.

Beyond either the one or three year period based on application a credit may be issued based on the manufactured date of the lamp and reason for failure. All lamps must be returned to Betts Industries for warranty evaluation unless otherwise directed. If applicable, credit will then be issued to the returning distributor or OEM to then credit their customer. Partial credit may be issued for lamps manufactured up to a 5 year period based on evaluation by Betts. If lamp failure was due to workmanship or defective materials a pro-rated credit may be available. Warranty will not be considered for lamps over 5 years old.

This warranty may be voided by the use of solvents in cleaning that are not compatible with polycarbonate which will result in the softening, crazing, or cracking of the lens. Products that are not to be used with polycarbonates are listed but not all inclusive.

Trichlor	Carbon Tetrachloride	Texize-8006, 8219, 8758
Tirclene	Kleenol Plastics	Methyl Ethyl Keytone (MEK)
Lestoil	Chlorinated Hydrocarbons	Liquid Cleaner - 8211
Acetone	Lemon Joy (phosphate free)	Stanisol Naphtha
Diversol	All Liquid Detergents	Pink Lux (phosphate free)
MIBK	Toluol	Agitene
Lysol	Ajax	Benzol
Gasoline	Oils	

Betts Plug & Seal Harness Warranty

Due to the nature of the types of chemicals used in de-icing of highways Betts Industries will only consider warranty of external cable connections when heat shrink was applied during the initial installation of wiring harnesses and lamps for a one year period. Harness components such as cable and fittings are also adversely affected by ice and snow removal chemicals and extreme winter temperatures and also may only be warranted for a one year period.

Except as set out in these warranties Seller expressly disclaims and buyer expressly waives any other warranties expressed or implied including merchantability, fitness for a particular purpose or otherwise and sellers obligation under this warranty is exclusively limited to repair or replacement of defective parts. There are no warranties which extend beyond those described herein. Buyer shall obtain permission from seller through the use of a Return Goods Authorization number assigned from Seller before any products claimed to be defective are returned to Sellers plant for warranty evaluation.

If you have a question, please contact our lamp engineering department at 814-723-1250. Extension 458.



BETTS INDUSTRIES INC.

1800 PENNSYLVANIA AVENUE WEST
WARREN, PA 16365

PH: 814-723-1250

FAX: 814-723-7030

E-MAIL: info@bettsind.com

WEB SITE: bettsind.com

DISTRIBUTED BY

PRINTED IN U.S.A.